

III Year II-Semester

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	BP & PC	17H61R0037	3	2	14	0	0	19	0	19	10
B PH0RM	BP & PC	18H61R0001	5	1	14	4	10	34	4	30	15
B PH0RM	BP & PC	18H61R0002	4	0	16	3	8	31	3	28	14
B PH0RM	BP & PC	18H61R0003	5	3	16	8	0	32	0	32	16
B PH0RM	BP & PC	18H61R0004	5	4	19	17	0	45	0	45	23
B PH0RM	BP & PC	18H61R0005	3	3	16	5	12	39	5	34	17
B PH0RM	BP & PC	18H61R0006	5	4	18	2	10	39	2	37	19
B PH0RM	BP & PC	18H61R0007	4	4	15	3	12	38	3	35	18
B PH0RM	BP & PC	18H61R0008	5	5	19	17	0	46	0	46	23
B PH0RM	BP & PC	18H61R0009	5	4	13	6	13	41	6	35	18
B PH0RM	BP & PC	18H61R0010	5	4	18	14	0	41	0	41	21
B PH0RM	BP & PC	18H61R0011	5	2	18	9	0	34	0	34	17
B PH0RM	BP & PC	18H61R0012	5	3	18	0	15	41	0	41	21
B PH0RM	BP & PC	18H61R0013	4	2	10	3	14	33	3	30	15
B PH0RM	BP & PC	18H61R0014	5	4	16	10	0	35	0	35	18
B PH0RM	BP & PC	18H61R0015	5	4	16	13	0	38	0	38	19
B PH0RM	BP & PC	18H61R0016	4	0	0	3	0	7	0	7	4
B PH0RM	BP & PC	18H61R0017	5	5	18	14	0	42	0	42	21
B PH0RM	BP & PC	18H61R0018	5	5	15	0	17	42	0	42	21
B PH0RM	BP & PC	18H61R0019	5	5	19	19	0	48	0	48	24
B PH0RM	BP & PC	18H61R0020	4	4	16	11	19	54	11	43	22
B PH0RM	BP & PC	18H61R0021	4	4	17	11	12	48	11	37	19
B PH0RM	BP & PC	18H61R0022	5	1	14	4	4	28	4	24	12
B PH0RM	BP & PC	18H61R0023	4	5	17	18	0	44	0	44	22
B PH0RM	BP & PC	18H61R0024	5	4	19	12	0	40	0	40	20
B PH0RM	BP & PC	18H61R0025	5	4	16	13	0	38	0	38	19
B PH0RM	BP & PC	18H61R0026	5	4	18	7	0	34	0	34	17
B PH0RM	BP & PC	18H61R0027	3	5	14	5	0	27	0	27	14
B PH0RM	BP & PC	18H61R0028	4	2	16	1	7	30	1	29	15
B PH0RM	BP & PC	18H61R0029	4	3	12	5	0	24	0	24	12
B PH0RM	BP & PC	18H61R0030	5	5	19	15	0	44	0	44	22
B PH0RM	BP & PC	18H61R0031	4	5	13	5	0	27	0	27	14

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	BP & PC	18H61R0032	5	4	18	19	0	46	0	46	23
B PH0RM	BP & PC	18H61R0033	5	4	17	9	0	35	0	35	18
B PH0RM	BP & PC	18H61R0034	5	4	10	10	0	29	0	29	15
B PH0RM	BP & PC	18H61R0035	5	5	17	0	14	41	0	41	21
B PH0RM	BP & PC	18H61R0036	5	5	15	13	18	56	13	43	22
B PH0RM	BP & PC	18H61R0037	5	5	17	19	19	65	17	48	24
B PH0RM	BP & PC	18H61R0038	5	5	16	13	0	39	0	39	20
B PH0RM	BP & PC	18H61R0039	3	0	13	7	12	35	7	28	14
B PH0RM	BP & PC	18H61R0040	4	4	14	0	0	22	0	22	11
B PH0RM	BP & PC	18H61R0041	5	3	17	13	19	57	13	44	22
B PH0RM	BP & PC	18H61R0043	5	4	19	16	0	44	0	44	22
B PH0RM	BP & PC	18H61R0044	5	4	16	6	18	49	6	43	22
B PH0RM	BP & PC	18H61R0046	3	1	15	1	13	33	1	32	16
B PH0RM	BP & PC	18H61R0047	4	4	16	13	0	37	0	37	19
B PH0RM	BP & PC	18H61R0048	5	0	13	10	0	28	0	28	14
B PH0RM	BP & PC	18H61R0049	4	0	15	11	0	30	0	30	15
B PH0RM	BP & PC	18H61R0050	5	3	18	11	0	37	0	37	19
B PH0RM	BP & PC	18H61R0051	3	2	12	0	0	17	0	17	9
B PH0RM	BP & PC	18H61R0052	4	2	19	9	18	52	9	43	22
B PH0RM	BP & PC	18H61R0053	4	1	17	9	12	43	9	34	17
B PH0RM	BP & PC	18H61R0055	5	1	15	6	9	36	6	30	15
B PH0RM	BP & PC	18H61R0056	5	0	15	4	9	33	4	29	15
B PH0RM	BP & PC	18H61R0057	5	4	17	9	0	35	0	35	18
B PH0RM	BP & PC	18H61R0058	4	5	19	16	0	44	0	44	22
B PH0RM	BP & PC	18H61R0059	5	4	16	8	0	33	0	33	17
B PH0RM	BP & PC	18H61R0061	5	3	18.5	11	0	38	0	38	19
B PH0RM	BP & PC	18H61R0063	5	1	14	9	13	42	9	33	17
B PH0RM	BP & PC	18H61R0064	5	3	17.5	0	11	37	0	37	19
B PH0RM	BP & PC	18H61R0065	4	0	10	0	8	22	0	22	11
B PH0RM	BP & PC	18H61R0066	4	2	16	9	0	31	0	31	16
B PH0RM	BP & PC	18H61R0069	5	2	18	14	16	55	14	41	21
B PH0RM	BP & PC	18H61R0070	5	5	19	19	0	48	0	48	24
B PH0RM	BP & PC	18H61R0071	4	4	17.5	12	0	38	0	38	19

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	BP & PC	18H61R0072	4	2	17	6	0	29	0	29	15
B PH0RM	BP & PC	18H61R0073	4	4	19	16	0	43	0	43	22
B PH0RM	BP & PC	18H61R0074	4	1	16	7	16	44	7	37	19
B PH0RM	BP & PC	18H61R0075	3	2	17.5	14	0	37	0	37	19
B PH0RM	BP & PC	18H61R0076	1	1	14	5	17	38	5	33	17
B PH0RM	BP & PC	18H61R0077	1	1	14	0	13	29	0	29	15
B PH0RM	BP & PC	18H61R0078	5	3	17	0	0	25	0	25	13
B PH0RM	BP & PC	18H61R0079	4	1	17	10	16	48	10	38	19
B PH0RM	BP & PC	18H61R0080	5	3	19	12	0	39	0	39	20
B PH0RM	BP & PC	18H61R0081	5	5	19	11	0	40	0	40	20
B PH0RM	BP & PC	18H61R0082	4	5	19	14	0	42	0	42	21
B PH0RM	BP & PC	18H61R0083	5	5	18	16	0	44	0	44	22
B PH0RM	BP & PC	18H61R0084	5	5	18	11	0	39	0	39	20
B PH0RM	BP & PC	18H61R0085	5	0	16	6	15	42	6	36	18
B PH0RM	BP & PC	18H61R0086	5	5	18	5	0	33	0	33	17
B PH0RM	BP & PC	18H61R0087	0	5	16	9	0	30	0	30	15
B PH0RM	BP & PC	18H61R0088	4	4	14	6	15	43	6	37	19
B PH0RM	BP & PC	18H61R0089	5	4	15	0	15	39	0	39	20
B PH0RM	BP & PC	18H61R0090	5	5	17.5	11	16	55	11	44	22
B PH0RM	BP & PC	18H61R0091	5	4	16	16	0	41	0	41	21
B PH0RM	BP & PC	18H61R0093	5	2	15.5	10	0	33	0	33	17
B PH0RM	BP & PC	18H61R0094	1	3	10	0	0	14	0	14	7
B PH0RM	BP & PC	18H61R0096	3	0	13	5	14	35	5	30	15
B PH0RM	BP & PC	18H61R0097	5	4	14	9	13	45	9	36	18
B PH0RM	BP & PC	18H61R0099	5	1	13.5	4	6	30	4	26	13
B PH0RM	BP & PC	18H61R00A0	4	2	17	0	15	38	0	38	19
B PH0RM	HDT	17H61R0037	0	5	15	0	6	26	0	26	13
B PH0RM	HDT	18H61R0001	4	4	12	8	0	28	0	28	14
B PH0RM	HDT	18H61R0002	5	5	13	10	0	33	0	33	17
B PH0RM	HDT	18H61R0003	4	5	17	14	0	40	0	40	20
B PH0RM	HDT	18H61R0004	4	5	18	17	0	44	0	44	22
B PH0RM	HDT	18H61R0005	4	5	16	11	0	36	0	36	18
B PH0RM	HDT	18H61R0006	5	4	14	8	0	31	0	31	16

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	HDT	18H61R0007	4	3	12	6	12	37	6	31	16
B PH0RM	HDT	18H61R0008	4	5	19	18	0	46	0	46	23
B PH0RM	HDT	18H61R0009	5	5	12	11	11	44	11	33	17
B PH0RM	HDT	18H61R0010	4	5	15	12	0	36	0	36	18
B PH0RM	HDT	18H61R0011	4	4	11	12	0	31	0	31	16
B PH0RM	HDT	18H61R0012	5	5	17	12	0	39	0	39	20
B PH0RM	HDT	18H61R0013	5	5	13	9	0	32	0	32	16
B PH0RM	HDT	18H61R0014	5	5	17	12	0	39	0	39	20
B PH0RM	HDT	18H61R0015	4	5	20	14	0	43	0	43	22
B PH0RM	HDT	18H61R0016	5	0	9	6	0	20	0	20	10
B PH0RM	HDT	18H61R0017	4	5	18	18	0	45	0	45	23
B PH0RM	HDT	18H61R0018	5	5	15	13	0	38	0	38	19
B PH0RM	HDT	18H61R0019	5	5	20	20	0	50	0	50	25
B PH0RM	HDT	18H61R0020	5	5	16	17	0	43	0	43	22
B PH0RM	HDT	18H61R0021	5	5	15	12	0	37	0	37	19
B PH0RM	HDT	18H61R0022	3	5	12	8	0	28	0	28	14
B PH0RM	HDT	18H61R0023	4	5	13	12	0	34	0	34	17
B PH0RM	HDT	18H61R0024	5	5	17	15	0	42	0	42	21
B PH0RM	HDT	18H61R0025	5	5	16	17	0	43	0	43	22
B PH0RM	HDT	18H61R0026	5	5	19	11	0	40	0	40	20
B PH0RM	HDT	18H61R0027	4	5	7	12	0	28	0	28	14
B PH0RM	HDT	18H61R0028	4	5	15	13	0	37	0	37	19
B PH0RM	HDT	18H61R0029	4	5	15	9	0	33	0	33	17
B PH0RM	HDT	18H61R0030	5	5	19	17	0	46	0	46	23
B PH0RM	HDT	18H61R0031	5	5	11	6	0	27	0	27	14
B PH0RM	HDT	18H61R0032	4	5	17	19	0	45	0	45	23
B PH0RM	HDT	18H61R0033	5	5	16	20	0	46	0	46	23
B PH0RM	HDT	18H61R0034	4	5	12	11	0	32	0	32	16
B PH0RM	HDT	18H61R0035	4	5	16	15	0	40	0	40	20
B PH0RM	HDT	18H61R0036	4	5	19	19	0	47	0	47	24
B PH0RM	HDT	18H61R0037	5	5	20	20	0	50	0	50	25
B PH0RM	HDT	18H61R0038	5	4	17	16	0	42	0	42	21
B PH0RM	HDT	18H61R0039	4	4	10	15	0	33	0	33	17

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	HDT	18H61R0040	5	5	12	10	0	32	0	32	16
B PH0RM	HDT	18H61R0041	5	5	20	19	0	49	0	49	25
B PH0RM	HDT	18H61R0043	4	4	19	20	0	47	0	47	24
B PH0RM	HDT	18H61R0044	5	5	15	15	0	40	0	40	20
B PH0RM	HDT	18H61R0046	3	5	13	8	14	43	8	35	18
B PH0RM	HDT	18H61R0047	4	5	19	12	0	40	0	40	20
B PH0RM	HDT	18H61R0048	5	5	12	12	0	34	0	34	17
B PH0RM	HDT	18H61R0049	5	4	13	6	0	28	0	28	14
B PH0RM	HDT	18H61R0050	5	5	17	16	0	43	0	43	22
B PH0RM	HDT	18H61R0051	4	4	11	6	10	35	6	29	15
B PH0RM	HDT	18H61R0052	4	5	18	16	0	43	0	43	22
B PH0RM	HDT	18H61R0053	4	3	14	8	0	29	0	29	15
B PH0RM	HDT	18H61R0055	5	4	11	6	10	36	6	30	15
B PH0RM	HDT	18H61R0056	5	3	11	9	0	28	0	28	14
B PH0RM	HDT	18H61R0057	5	5	15	10	0	35	0	35	18
B PH0RM	HDT	18H61R0058	5	5	19	20	0	49	0	49	25
B PH0RM	HDT	18H61R0059	5	5	17	15	0	42	0	42	21
B PH0RM	HDT	18H61R0061	5	5	16	13	0	39	0	39	20
B PH0RM	HDT	18H61R0063	5	4	9	10	13	41	9	32	16
B PH0RM	HDT	18H61R0064	4	5	13	0	15	37	0	37	19
B PH0RM	HDT	18H61R0065	5	4	7	1	0	17	0	17	9
B PH0RM	HDT	18H61R0066	4	5	13	8	0	30	0	30	15
B PH0RM	HDT	18H61R0069	4	5	18	14	0	41	0	41	21
B PH0RM	HDT	18H61R0070	5	5	20	20	0	50	0	50	25
B PH0RM	HDT	18H61R0071	4	3	18	12	0	37	0	37	19
B PH0RM	HDT	18H61R0072	0	5	16	11	0	32	0	32	16
B PH0RM	HDT	18H61R0073	5	5	20	15	0	45	0	45	23
B PH0RM	HDT	18H61R0074	5	5	18	9	0	37	0	37	19
B PH0RM	HDT	18H61R0075	4	3	14	10	0	31	0	31	16
B PH0RM	HDT	18H61R0076	3	5	16	7	0	31	0	31	16
B PH0RM	HDT	18H61R0077	5	5	16	6	0	32	0	32	16
B PH0RM	HDT	18H61R0078	5	5	18	0	0	28	0	28	14
B PH0RM	HDT	18H61R0079	5	3	16	10	13	47	10	37	19

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	HDT	18H61R0080	4	5	15	12	0	36	0	36	18
B PH0RM	HDT	18H61R0081	5	5	15	13	0	38	0	38	19
B PH0RM	HDT	18H61R0082	3	5	18	13	0	39	0	39	20
B PH0RM	HDT	18H61R0083	5	5	19	15	0	44	0	44	22
B PH0RM	HDT	18H61R0084	4	5	15	15	0	39	0	39	20
B PH0RM	HDT	18H61R0085	5	4	14	16	0	39	0	39	20
B PH0RM	HDT	18H61R0086	3	5	13	10	0	31	0	31	16
B PH0RM	HDT	18H61R0087	3	5	14	9	0	31	0	31	16
B PH0RM	HDT	18H61R0088	5	5	20	16	0	46	0	46	23
B PH0RM	HDT	18H61R0089	5	5	15	13	0	38	0	38	19
B PH0RM	HDT	18H61R0090	5	5	15	13	0	38	0	38	19
B PH0RM	HDT	18H61R0091	5	5	13	15	0	38	0	38	19
B PH0RM	HDT	18H61R0093	3	5	10	10	0	28	0	28	14
B PH0RM	HDT	18H61R0094	4	3	10	0	0	17	0	17	9
B PH0RM	HDT	18H61R0096	5	5	16	7	0	33	0	33	17
B PH0RM	HDT	18H61R0097	4	5	18	10	12	49	10	39	20
B PH0RM	HDT	18H61R0099	4	5	16	6	0	31	0	31	16
B PH0RM	HDT	18H61R00A0	4	5	19	11	0	39	0	39	20
B PH0RM	HDT LAB	17H61R0037	8	0	9	0	0	17	0	0	17
B PH0RM	HDT LAB	18H61R0001	15	0	7	0	0	22	0	0	22
B PH0RM	HDT LAB	18H61R0002	12	0	7	0	0	19	0	0	19
B PH0RM	HDT LAB	18H61R0003	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0004	12	0	8	0	0	20	0	0	20
B PH0RM	HDT LAB	18H61R0005	15	0	6	0	0	21	0	0	21
B PH0RM	HDT LAB	18H61R0006	8	0	8	0	0	16	0	0	16
B PH0RM	HDT LAB	18H61R0007	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0008	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0009	15	0	7	0	0	22	0	0	22
B PH0RM	HDT LAB	18H61R0010	12	0	7	0	0	19	0	0	19
B PH0RM	HDT LAB	18H61R0011	10	0	7	0	0	17	0	0	17
B PH0RM	HDT LAB	18H61R0012	15	0	6	0	0	21	0	0	21
B PH0RM	HDT LAB	18H61R0013	12	0	7	0	0	19	0	0	19
B PH0RM	HDT LAB	18H61R0014	15	0	8	0	0	23	0	0	23

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	HDT LAB	18H61R0015	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0016	12	0	8	0	0	20	0	0	20
B PH0RM	HDT LAB	18H61R0017	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0018	10	0	8	0	0	18	0	0	18
B PH0RM	HDT LAB	18H61R0019	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0020	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0021	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0022	15	0	7	0	0	22	0	0	22
B PH0RM	HDT LAB	18H61R0023	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0024	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0025	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0026	12	0	7	0	0	19	0	0	19
B PH0RM	HDT LAB	18H61R0027	7	0	8	0	0	15	0	0	15
B PH0RM	HDT LAB	18H61R0028	8	0	7	0	0	15	0	0	15
B PH0RM	HDT LAB	18H61R0029	15	0	7	0	0	22	0	0	22
B PH0RM	HDT LAB	18H61R0030	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0031	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0032	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0033	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0034	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0035	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0036	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0037	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0038	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0039	8	0	7	0	0	15	0	0	15
B PH0RM	HDT LAB	18H61R0040	8	0	8	0	0	16	0	0	16
B PH0RM	HDT LAB	18H61R0041	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0043	15	0	7	0	0	22	0	0	22
B PH0RM	HDT LAB	18H61R0044	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0046	8	0	9	0	0	17	0	0	17
B PH0RM	HDT LAB	18H61R0047	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0048	12	0	6	0	0	18	0	0	18
B PH0RM	HDT LAB	18H61R0049	7	0	8	0	0	15	0	0	15

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	HDT LAB	18H61R0050	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0051	7	0	6	0	0	13	0	0	13
B PH0RM	HDT LAB	18H61R0052	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0053	8	0	9	0	0	17	0	0	17
B PH0RM	HDT LAB	18H61R0055	8	0	9	0	0	17	0	0	17
B PH0RM	HDT LAB	18H61R0056	8	0	0	0	0	8	0	0	8
B PH0RM	HDT LAB	18H61R0057	15	0	7	0	0	22	0	0	22
B PH0RM	HDT LAB	18H61R0058	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0059	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0061	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0063	10	0	6	0	0	16	0	0	16
B PH0RM	HDT LAB	18H61R0064	12	0	10	0	0	22	0	0	22
B PH0RM	HDT LAB	18H61R0065	7	0	8	0	0	15	0	0	15
B PH0RM	HDT LAB	18H61R0066	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0069	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0070	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0071	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0072	7	0	10	0	0	17	0	0	17
B PH0RM	HDT LAB	18H61R0073	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0074	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0075	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0076	12	0	8	0	0	20	0	0	20
B PH0RM	HDT LAB	18H61R0077	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0078	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0079	12	0	10	0	0	22	0	0	22
B PH0RM	HDT LAB	18H61R0080	15	0	6	0	0	21	0	0	21
B PH0RM	HDT LAB	18H61R0081	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R0082	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0083	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0084	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0085	10	0	9	0	0	19	0	0	19
B PH0RM	HDT LAB	18H61R0086	10	0	8	0	0	18	0	0	18
B PH0RM	HDT LAB	18H61R0087	15	0	10	0	0	25	0	0	25

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	HDT LAB	18H61R0088	15	0	8	0	0	23	0	0	23
B PH0RM	HDT LAB	18H61R0089	10	0	9	0	0	19	0	0	19
B PH0RM	HDT LAB	18H61R0090	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0091	15	0	10	0	0	25	0	0	25
B PH0RM	HDT LAB	18H61R0093	7	0	8	0	0	15	0	0	15
B PH0RM	HDT LAB	18H61R0094	0	0	0	0	0	0	0	0	0
B PH0RM	HDT LAB	18H61R0096	15	0	7	0	0	22	0	0	22
B PH0RM	HDT LAB	18H61R0097	10	0	8	0	0	18	0	0	18
B PH0RM	HDT LAB	18H61R0099	15	0	9	0	0	24	0	0	24
B PH0RM	HDT LAB	18H61R00A0	12	0	8	0	0	20	0	0	20
B PH0RM	MC-III	17H61R0037	4	4	16	0	0	24	0	24	12
B PH0RM	MC-III	18H61R0001	5	4	18	16	0	43	0	43	22
B PH0RM	MC-III	18H61R0002	5	4	15	14	0	38	0	38	19
B PH0RM	MC-III	18H61R0003	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0004	5	4	18	19	0	46	0	46	23
B PH0RM	MC-III	18H61R0005	5	4	15	16	0	40	0	40	20
B PH0RM	MC-III	18H61R0006	4	4	14	18	0	40	0	40	20
B PH0RM	MC-III	18H61R0007	4	4	16	16	0	40	0	40	20
B PH0RM	MC-III	18H61R0008	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0009	5	5	16	16	0	42	0	42	21
B PH0RM	MC-III	18H61R0010	4	4	17	13	0	38	0	38	19
B PH0RM	MC-III	18H61R0011	4	4	18	16	0	42	0	42	21
B PH0RM	MC-III	18H61R0012	4	5	17	17	0	43	0	43	22
B PH0RM	MC-III	18H61R0013	4	4	15	16	0	39	0	39	20
B PH0RM	MC-III	18H61R0014	5	5	19	17	0	46	0	46	23
B PH0RM	MC-III	18H61R0015	5	5	17	18	0	45	0	45	23
B PH0RM	MC-III	18H61R0016	4	4	0	4	0	12	0	12	6
B PH0RM	MC-III	18H61R0017	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0018	4	4	16	19	0	43	0	43	22
B PH0RM	MC-III	18H61R0019	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0020	5	5	18	18	0	46	0	46	23
B PH0RM	MC-III	18H61R0021	5	5	19	18	0	47	0	47	24
B PH0RM	MC-III	18H61R0022	4	4	13	10	0	31	0	31	16

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	MC-III	18H61R0023	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0024	5	5	19	18	0	47	0	47	24
B PH0RM	MC-III	18H61R0025	5	5	18	17	0	45	0	45	23
B PH0RM	MC-III	18H61R0026	4	4	17	16	0	41	0	41	21
B PH0RM	MC-III	18H61R0027	4	4	15	12	0	35	0	35	18
B PH0RM	MC-III	18H61R0028	4	4	17	15	0	40	0	40	20
B PH0RM	MC-III	18H61R0029	4	4	13	10	0	31	0	31	16
B PH0RM	MC-III	18H61R0030	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0031	5	5	16	14	0	40	0	40	20
B PH0RM	MC-III	18H61R0032	5	5	18	19	0	47	0	47	24
B PH0RM	MC-III	18H61R0033	5	5	17	18	0	45	0	45	23
B PH0RM	MC-III	18H61R0034	5	5	8	15	0	33	0	33	17
B PH0RM	MC-III	18H61R0035	5	5	18	18	0	46	0	46	23
B PH0RM	MC-III	18H61R0036	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0037	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0038	4	4	18	17	0	43	0	43	22
B PH0RM	MC-III	18H61R0039	4	4	15	17	0	40	0	40	20
B PH0RM	MC-III	18H61R0040	4	4	16	13	0	37	0	37	19
B PH0RM	MC-III	18H61R0041	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0043	5	5	18	19	0	47	0	47	24
B PH0RM	MC-III	18H61R0044	5	5	18	18	0	46	0	46	23
B PH0RM	MC-III	18H61R0046	5	4	13	12	0	34	0	34	17
B PH0RM	MC-III	18H61R0047	5	4	19	19	0	47	0	47	24
B PH0RM	MC-III	18H61R0048	5	4	17	18	0	44	0	44	22
B PH0RM	MC-III	18H61R0049	4	4	13	14	0	35	0	35	18
B PH0RM	MC-III	18H61R0050	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0051	4	4	13	12	17	50	12	38	19
B PH0RM	MC-III	18H61R0052	4	4	15	15	0	38	0	38	19
B PH0RM	MC-III	18H61R0053	4	4	16	18	0	42	0	42	21
B PH0RM	MC-III	18H61R0055	4	4	15	14	0	37	0	37	19
B PH0RM	MC-III	18H61R0056	4	4	13	10	0	31	0	31	16
B PH0RM	MC-III	18H61R0057	5	5	17	15	0	42	0	42	21
B PH0RM	MC-III	18H61R0058	5	5	19	19	0	48	0	48	24

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	MC-III	18H61R0059	4	5	16	17	0	42	0	42	21
B PH0RM	MC-III	18H61R0061	5	5	18	18	0	46	0	46	23
B PH0RM	MC-III	18H61R0063	4	4	16	14	0	38	0	38	19
B PH0RM	MC-III	18H61R0064	5	5	18	17	0	45	0	45	23
B PH0RM	MC-III	18H61R0065	4	4	12	8	0	28	0	28	14
B PH0RM	MC-III	18H61R0066	4	5	16	16	0	41	0	41	21
B PH0RM	MC-III	18H61R0069	5	5	19	18	0	47	0	47	24
B PH0RM	MC-III	18H61R0070	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0071	5	5	19	18	0	47	0	47	24
B PH0RM	MC-III	18H61R0072	5	5	18	16	0	44	0	44	22
B PH0RM	MC-III	18H61R0073	5	5	19	18	0	47	0	47	24
B PH0RM	MC-III	18H61R0074	5	5	15	17	0	42	0	42	21
B PH0RM	MC-III	18H61R0075	5	5	19	17	0	46	0	46	23
B PH0RM	MC-III	18H61R0076	4	5	17	14	0	40	0	40	20
B PH0RM	MC-III	18H61R0077	5	5	16	14	0	40	0	40	20
B PH0RM	MC-III	18H61R0078	5	5	19	0	0	29	0	29	15
B PH0RM	MC-III	18H61R0079	5	5	18	17	0	45	0	45	23
B PH0RM	MC-III	18H61R0080	5	4	16	17	0	42	0	42	21
B PH0RM	MC-III	18H61R0081	5	5	17	14	0	41	0	41	21
B PH0RM	MC-III	18H61R0082	5	5	16	15	0	41	0	41	21
B PH0RM	MC-III	18H61R0083	5	5	19	17	0	46	0	46	23
B PH0RM	MC-III	18H61R0084	5	5	18	19	0	47	0	47	24
B PH0RM	MC-III	18H61R0085	5	5	19	13	0	42	0	42	21
B PH0RM	MC-III	18H61R0086	4	4	16	11	0	35	0	35	18
B PH0RM	MC-III	18H61R0087	4	5	15	15	0	39	0	39	20
B PH0RM	MC-III	18H61R0088	5	5	18	19	0	47	0	47	24
B PH0RM	MC-III	18H61R0089	4	5	14	17	0	40	0	40	20
B PH0RM	MC-III	18H61R0090	5	5	19	19	0	48	0	48	24
B PH0RM	MC-III	18H61R0091	5	5	17	19	0	46	0	46	23
B PH0RM	MC-III	18H61R0093	4	4	14	17	0	39	0	39	20
B PH0RM	MC-III	18H61R0094	4	4	13	0	0	21	0	21	11
B PH0RM	MC-III	18H61R0096	5	5	16	14	0	40	0	40	20
B PH0RM	MC-III	18H61R0097	5	5	18	13	0	41	0	41	21

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	MC-III	18H61R0099	5	5	14	14	0	38	0	38	19
B PH0RM	MC-III	18H61R00A0	5	5	16	18	0	44	0	44	22
B PH0RM	MC-III LAB	17H61R0037	7	0	8	0	0	15	0	0	15
B PH0RM	MC-III LAB	18H61R0001	14	0	7	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0002	14	0	7	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0003	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0004	14	0	8	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0005	13	0	7	0	0	20	0	0	20
B PH0RM	MC-III LAB	18H61R0006	10	0	7	0	0	17	0	0	17
B PH0RM	MC-III LAB	18H61R0007	14	0	7	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0008	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0009	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0010	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0011	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0012	13	0	9	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0013	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0014	14	0	8	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0015	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0016	8	0	7	0	0	15	0	0	15
B PH0RM	MC-III LAB	18H61R0017	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0018	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0019	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0020	14	0	8	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0021	13	0	9	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0022	12	0	7	0	0	19	0	0	19
B PH0RM	MC-III LAB	18H61R0023	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0024	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0025	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0026	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0027	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0028	8	0	7	0	0	15	0	0	15
B PH0RM	MC-III LAB	18H61R0029	10	0	7	0	0	17	0	0	17
B PH0RM	MC-III LAB	18H61R0030	15	0	9	0	0	24	0	0	24

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	MC-III LAB	18H61R0031	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0032	13	0	9	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0033	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0034	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0035	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0036	15	0	8	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0037	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0038	13	0	7	0	0	20	0	0	20
B PH0RM	MC-III LAB	18H61R0039	13	0	7	0	0	20	0	0	20
B PH0RM	MC-III LAB	18H61R0040	13	0	7	0	0	20	0	0	20
B PH0RM	MC-III LAB	18H61R0041	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0043	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0044	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0046	13	0	7	0	0	20	0	0	20
B PH0RM	MC-III LAB	18H61R0047	13	0	9	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0048	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0049	15	0	8	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0050	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0051	7	0	6	0	0	13	0	0	13
B PH0RM	MC-III LAB	18H61R0052	13	0	7	0	0	20	0	0	20
B PH0RM	MC-III LAB	18H61R0053	12	0	7	0	0	19	0	0	19
B PH0RM	MC-III LAB	18H61R0055	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0056	8	0	0	0	0	8	0	0	8
B PH0RM	MC-III LAB	18H61R0057	10	0	8	0	0	18	0	0	18
B PH0RM	MC-III LAB	18H61R0058	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0059	12	0	7	0	0	19	0	0	19
B PH0RM	MC-III LAB	18H61R0061	11	0	8	0	0	19	0	0	19
B PH0RM	MC-III LAB	18H61R0063	12	0	7	0	0	19	0	0	19
B PH0RM	MC-III LAB	18H61R0064	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0065	12	0	7	0	0	19	0	0	19
B PH0RM	MC-III LAB	18H61R0066	12	0	8	0	0	20	0	0	20
B PH0RM	MC-III LAB	18H61R0069	13	0	9	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0070	15	0	9	0	0	24	0	0	24

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	MC-III LAB	18H61R0071	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0072	11	0	8	0	0	19	0	0	19
B PH0RM	MC-III LAB	18H61R0073	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0074	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0075	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0076	12	0	7	0	0	19	0	0	19
B PH0RM	MC-III LAB	18H61R0077	13	0	9	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0078	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0079	14	0	8	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0080	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0081	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0082	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0083	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0084	14	0	8	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0085	14	0	9	0	0	23	0	0	23
B PH0RM	MC-III LAB	18H61R0086	8	0	7	0	0	15	0	0	15
B PH0RM	MC-III LAB	18H61R0087	13	0	7	0	0	20	0	0	20
B PH0RM	MC-III LAB	18H61R0088	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0089	10	0	7	0	0	17	0	0	17
B PH0RM	MC-III LAB	18H61R0090	15	0	9	0	0	24	0	0	24
B PH0RM	MC-III LAB	18H61R0091	13	0	9	0	0	22	0	0	22
B PH0RM	MC-III LAB	18H61R0093	12	0	7	0	0	19	0	0	19
B PH0RM	MC-III LAB	18H61R0094	0	0	0	0	0	0	0	0	0
B PH0RM	MC-III LAB	18H61R0096	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R0097	9	0	8	0	0	17	0	0	17
B PH0RM	MC-III LAB	18H61R0099	13	0	8	0	0	21	0	0	21
B PH0RM	MC-III LAB	18H61R00A0	15	0	9	0	0	24	0	0	24
B PH0RM	PB	17H61R0037	4	4	15	11	0	34	0	34	17
B PH0RM	PB	18H61R0001	4	4	16	11	0	35	0	35	18
B PH0RM	PB	18H61R0002	4	4	17	13	0	38	0	38	19
B PH0RM	PB	18H61R0003	5	5	18	17	0	45	0	45	23
B PH0RM	PB	18H61R0004	5	5	18	18	0	46	0	46	23
B PH0RM	PB	18H61R0005	4	4	15	12	0	35	0	35	18

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	PB	18H61R0006	4	4	16	11	0	35	0	35	18
B PH0RM	PB	18H61R0007	4	4	15	12	0	35	0	35	18
B PH0RM	PB	18H61R0008	5	5	19	19	0	48	0	48	24
B PH0RM	PB	18H61R0009	5	5	19	15	0	44	0	44	22
B PH0RM	PB	18H61R0010	5	5	17	17	0	44	0	44	22
B PH0RM	PB	18H61R0011	4	5	14	11	0	34	0	34	17
B PH0RM	PB	18H61R0012	5	5	19	12	0	41	0	41	21
B PH0RM	PB	18H61R0013	4	5	18	15	0	42	0	42	21
B PH0RM	PB	18H61R0014	4	4	16	14	0	38	0	38	19
B PH0RM	PB	18H61R0015	5	5	19	14	0	43	0	43	22
B PH0RM	PB	18H61R0016	5	4	0	11	0	20	0	20	10
B PH0RM	PB	18H61R0017	4	5	18	14	0	41	0	41	21
B PH0RM	PB	18H61R0018	5	5	18	19	0	47	0	47	24
B PH0RM	PB	18H61R0019	5	5	19	19	0	48	0	48	24
B PH0RM	PB	18H61R0020	5	5	19	18	0	47	0	47	24
B PH0RM	PB	18H61R0021	5	5	17	17	0	44	0	44	22
B PH0RM	PB	18H61R0022	4	5	17	13	0	39	0	39	20
B PH0RM	PB	18H61R0023	5	5	19	18	0	47	0	47	24
B PH0RM	PB	18H61R0024	4	5	18	18	0	45	0	45	23
B PH0RM	PB	18H61R0025	4	5	17	16	0	42	0	42	21
B PH0RM	PB	18H61R0026	5	5	19	10	0	39	0	39	20
B PH0RM	PB	18H61R0027	4	4	16	11	0	35	0	35	18
B PH0RM	PB	18H61R0028	4	4	16	0	11	35	0	35	18
B PH0RM	PB	18H61R0029	4	4	13	6	0	27	0	27	14
B PH0RM	PB	18H61R0030	5	5	19	14	0	43	0	43	22
B PH0RM	PB	18H61R0031	4	4	10	10	0	28	0	28	14
B PH0RM	PB	18H61R0032	5	5	18	17	0	45	0	45	23
B PH0RM	PB	18H61R0033	5	5	18	18	0	46	0	46	23
B PH0RM	PB	18H61R0034	5	4	15	11	0	35	0	35	18
B PH0RM	PB	18H61R0035	5	4	18	12	0	39	0	39	20
B PH0RM	PB	18H61R0036	5	5	17	19	0	46	0	46	23
B PH0RM	PB	18H61R0037	5	5	19	19	0	48	0	48	24
B PH0RM	PB	18H61R0038	5	5	18	18	0	46	0	46	23

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	PB	18H61R0039	4	4	15	13	0	36	0	36	18
B PH0RM	PB	18H61R0040	4	4	18	10	0	36	0	36	18
B PH0RM	PB	18H61R0041	5	4	18	14	0	41	0	41	21
B PH0RM	PB	18H61R0043	5	5	17	19	0	46	0	46	23
B PH0RM	PB	18H61R0044	5	5	15	14	0	39	0	39	20
B PH0RM	PB	18H61R0046	4	4	14	13	0	35	0	35	18
B PH0RM	PB	18H61R0047	5	5	18	16	0	44	0	44	22
B PH0RM	PB	18H61R0048	4	4	18	14	0	40	0	40	20
B PH0RM	PB	18H61R0049	4	4	17	12	0	37	0	37	19
B PH0RM	PB	18H61R0050	5	5	18	16	0	44	0	44	22
B PH0RM	PB	18H61R0051	4	4	16	0	8	32	0	32	16
B PH0RM	PB	18H61R0052	4	4	16	13	0	37	0	37	19
B PH0RM	PB	18H61R0053	4	4	17	15	0	40	0	40	20
B PH0RM	PB	18H61R0055	4	4	15	8	0	31	0	31	16
B PH0RM	PB	18H61R0056	4	5	16	12	0	37	0	37	19
B PH0RM	PB	18H61R0057	4	4	16	11	0	35	0	35	18
B PH0RM	PB	18H61R0058	5	5	19	19	0	48	0	48	24
B PH0RM	PB	18H61R0059	4	4	16	13	0	37	0	37	19
B PH0RM	PB	18H61R0061	4	4	17	14	0	39	0	39	20
B PH0RM	PB	18H61R0063	4	4	16	15	0	39	0	39	20
B PH0RM	PB	18H61R0064	4	4	17	12	0	37	0	37	19
B PH0RM	PB	18H61R0065	4	4	13	9	0	30	0	30	15
B PH0RM	PB	18H61R0066	4	5	17	12	0	38	0	38	19
B PH0RM	PB	18H61R0069	5	5	18	19	0	47	0	47	24
B PH0RM	PB	18H61R0070	5	5	19	19	0	48	0	48	24
B PH0RM	PB	18H61R0071	5	5	18	18	0	46	0	46	23
B PH0RM	PB	18H61R0072	4	4	17	12	0	37	0	37	19
B PH0RM	PB	18H61R0073	5	5	18	17	0	45	0	45	23
B PH0RM	PB	18H61R0074	5	4	18	11	0	38	0	38	19
B PH0RM	PB	18H61R0075	5	5	18	17	0	45	0	45	23
B PH0RM	PB	18H61R0076	4	4	16	14	0	38	0	38	19
B PH0RM	PB	18H61R0077	4	4	17	13	0	38	0	38	19
B PH0RM	PB	18H61R0078	5	5	19	0	0	29	0	29	15

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	PB	18H61R0079	4	4	18	12	0	38	0	38	19
B PH0RM	PB	18H61R0080	4	4	17	14	0	39	0	39	20
B PH0RM	PB	18H61R0081	5	5	19	17	0	46	0	46	23
B PH0RM	PB	18H61R0082	5	5	18	19	0	47	0	47	24
B PH0RM	PB	18H61R0083	5	5	19	18	0	47	0	47	24
B PH0RM	PB	18H61R0084	4	4	17	14	0	39	0	39	20
B PH0RM	PB	18H61R0085	5	5	19	17	0	46	0	46	23
B PH0RM	PB	18H61R0086	4	4	13	11	0	32	0	32	16
B PH0RM	PB	18H61R0087	4	4	16	14	0	38	0	38	19
B PH0RM	PB	18H61R0088	5	5	19	17	0	46	0	46	23
B PH0RM	PB	18H61R0089	4	4	15	14	0	37	0	37	19
B PH0RM	PB	18H61R0090	5	5	19	15	0	44	0	44	22
B PH0RM	PB	18H61R0091	5	5	18	16	0	44	0	44	22
B PH0RM	PB	18H61R0093	4	4	16	14	0	38	0	38	19
B PH0RM	PB	18H61R0094	4	4	11	0	0	19	0	19	10
B PH0RM	PB	18H61R0096	4	4	17	13	0	38	0	38	19
B PH0RM	PB	18H61R0097	4	5	17	16	0	42	0	42	21
B PH0RM	PB	18H61R0099	4	4	14	10	0	32	0	32	16
B PH0RM	PB	18H61R00A0	5	5	17	19	0	46	0	46	23
B PH0RM	PC-III	17H61R0037	4	0	14	6	0	24	0	24	12
B PH0RM	PC-III	18H61R0001	4	4	14	5	0	27	0	27	14
B PH0RM	PC-III	18H61R0002	4	4	12	6	12	38	6	32	16
B PH0RM	PC-III	18H61R0003	5	4	18	12	0	39	0	39	20
B PH0RM	PC-III	18H61R0004	5	5	19	17	0	46	0	46	23
B PH0RM	PC-III	18H61R0005	4	5	12	13	0	34	0	34	17
B PH0RM	PC-III	18H61R0006	4	4	15	11	14	48	11	37	19
B PH0RM	PC-III	18H61R0007	5	4	15	11	0	35	0	35	18
B PH0RM	PC-III	18H61R0008	5	5	20	14	0	44	0	44	22
B PH0RM	PC-III	18H61R0009	5	4	17	10	14	50	10	40	20
B PH0RM	PC-III	18H61R0010	4	4	16	11	0	35	0	35	18
B PH0RM	PC-III	18H61R0011	5	4	16	11	0	36	0	36	18
B PH0RM	PC-III	18H61R0012	5	4	15	11	0	35	0	35	18
B PH0RM	PC-III	18H61R0013	5	4	10	9	0	28	0	28	14

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	PC-III	18H61R0014	5	5	17	13	0	40	0	40	20
B PH0RM	PC-III	18H61R0015	5	4	14	6	0	29	0	29	15
B PH0RM	PC-III	18H61R0016	5	0	0	4	0	9	0	9	5
B PH0RM	PC-III	18H61R0017	5	5	19	18	0	47	0	47	24
B PH0RM	PC-III	18H61R0018	5	5	15	13	0	38	0	38	19
B PH0RM	PC-III	18H61R0019	5	5	20	20	0	50	0	50	25
B PH0RM	PC-III	18H61R0020	5	5	16	19	0	45	0	45	23
B PH0RM	PC-III	18H61R0021	5	5	17	15	0	42	0	42	21
B PH0RM	PC-III	18H61R0022	5	4	12	6	10	37	6	31	16
B PH0RM	PC-III	18H61R0023	5	5	19	19	0	48	0	48	24
B PH0RM	PC-III	18H61R0024	5	5	20	13	0	43	0	43	22
B PH0RM	PC-III	18H61R0025	5	5	17	14	0	41	0	41	21
B PH0RM	PC-III	18H61R0026	4	5	13	18	0	40	0	40	20
B PH0RM	PC-III	18H61R0027	5	4	12	5	0	26	0	26	13
B PH0RM	PC-III	18H61R0028	5	4	16	9	0	34	0	34	17
B PH0RM	PC-III	18H61R0029	5	4	12	7	0	28	0	28	14
B PH0RM	PC-III	18H61R0030	5	5	20	19	0	49	0	49	25
B PH0RM	PC-III	18H61R0031	4	4	15	3	0	26	0	26	13
B PH0RM	PC-III	18H61R0032	5	5	17	17	0	44	0	44	22
B PH0RM	PC-III	18H61R0033	5	5	12	16	0	38	0	38	19
B PH0RM	PC-III	18H61R0034	4	5	9	13	0	31	0	31	16
B PH0RM	PC-III	18H61R0035	5	5	17	13	0	40	0	40	20
B PH0RM	PC-III	18H61R0036	5	5	20	16	0	46	0	46	23
B PH0RM	PC-III	18H61R0037	5	5	20	19	0	49	0	49	25
B PH0RM	PC-III	18H61R0038	5	5	17	15	0	42	0	42	21
B PH0RM	PC-III	18H61R0039	0	4	11	6	12	33	6	27	14
B PH0RM	PC-III	18H61R0040	5	4	15	9	0	33	0	33	17
B PH0RM	PC-III	18H61R0041	5	5	19	18	0	47	0	47	24
B PH0RM	PC-III	18H61R0043	5	5	18	18	0	46	0	46	23
B PH0RM	PC-III	18H61R0044	4	4	18	11	0	37	0	37	19
B PH0RM	PC-III	18H61R0046	5	4	12.5	11	0	33	0	33	17
B PH0RM	PC-III	18H61R0047	5	5	16	16	0	42	0	42	21
B PH0RM	PC-III	18H61R0048	4	5	13	14	0	36	0	36	18

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	PC-III	18H61R0049	4	0	6	3	10	23	3	20	10
B PH0RM	PC-III	18H61R0050	5	5	19	19	0	48	0	48	24
B PH0RM	PC-III	18H61R0051	5	2	11	8	7	33	7	26	13
B PH0RM	PC-III	18H61R0052	0	5	15	13	0	33	0	33	17
B PH0RM	PC-III	18H61R0053	4	5	13	15	0	37	0	37	19
B PH0RM	PC-III	18H61R0055	0	4	12	7	9	32	7	25	13
B PH0RM	PC-III	18H61R0056	5	0	14	7	0	26	0	26	13
B PH0RM	PC-III	18H61R0057	5	4	15	11	0	35	0	35	18
B PH0RM	PC-III	18H61R0058	5	5	17	20	0	47	0	47	24
B PH0RM	PC-III	18H61R0059	5	5	13	16	0	39	0	39	20
B PH0RM	PC-III	18H61R0061	5	5	14	15	0	39	0	39	20
B PH0RM	PC-III	18H61R0063	4	4	12	11	13	44	11	33	17
B PH0RM	PC-III	18H61R0064	5	5	15	15	0	40	0	40	20
B PH0RM	PC-III	18H61R0065	4	0	13	4	9	30	4	26	13
B PH0RM	PC-III	18H61R0066	4	5	12	13	0	34	0	34	17
B PH0RM	PC-III	18H61R0069	5	5	17	18	0	45	0	45	23
B PH0RM	PC-III	18H61R0070	5	5	20	20	0	50	0	50	25
B PH0RM	PC-III	18H61R0071	5	5	15	16	0	41	0	41	21
B PH0RM	PC-III	18H61R0072	4	5	14	13	0	36	0	36	18
B PH0RM	PC-III	18H61R0073	5	5	16	18	0	44	0	44	22
B PH0RM	PC-III	18H61R0074	4	5	15	13	0	37	0	37	19
B PH0RM	PC-III	18H61R0075	5	5	13	14	0	37	0	37	19
B PH0RM	PC-III	18H61R0076	4	4	13	9	13	43	9	34	17
B PH0RM	PC-III	18H61R0077	5	4	17	9	0	35	0	35	18
B PH0RM	PC-III	18H61R0078	5	5	18	0	0	28	0	28	14
B PH0RM	PC-III	18H61R0079	5	4	17	9	0	35	0	35	18
B PH0RM	PC-III	18H61R0080	5	5	14	14	0	38	0	38	19
B PH0RM	PC-III	18H61R0081	5	5	18	14	0	42	0	42	21
B PH0RM	PC-III	18H61R0082	5	5	17	16	0	43	0	43	22
B PH0RM	PC-III	18H61R0083	5	5	19	17	0	46	0	46	23
B PH0RM	PC-III	18H61R0084	5	5	15	18	0	43	0	43	22
B PH0RM	PC-III	18H61R0085	5	5	16	14	0	40	0	40	20
B PH0RM	PC-III	18H61R0086	5	4	13	11	0	33	0	33	17

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	PC-III	18H61R0087	5	5	13	12	0	35	0	35	18
B PH0RM	PC-III	18H61R0088	5	5	17	17	0	44	0	44	22
B PH0RM	PC-III	18H61R0089	5	5	16	13	0	39	0	39	20
B PH0RM	PC-III	18H61R0090	5	5	15	14	0	39	0	39	20
B PH0RM	PC-III	18H61R0091	5	5	14	16	0	40	0	40	20
B PH0RM	PC-III	18H61R0093	5	5	12	12	0	34	0	34	17
B PH0RM	PC-III	18H61R0094	4	0	11	0	0	15	0	15	8
B PH0RM	PC-III	18H61R0096	5	4	12	5	11	37	5	32	16
B PH0RM	PC-III	18H61R0097	5	4	15	10	0	34	0	34	17
B PH0RM	PC-III	18H61R0099	4	4	13	6	13	40	6	34	17
B PH0RM	PC-III	18H61R00A0	5	5	15	14	0	39	0	39	20
B PH0RM	PC-III LAB	17H61R0037	12	0	9	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0001	10	0	6	0	0	16	0	0	16
B PH0RM	PC-III LAB	18H61R0002	11	0	7	0	0	18	0	0	18
B PH0RM	PC-III LAB	18H61R0003	13	0	7	0	0	20	0	0	20
B PH0RM	PC-III LAB	18H61R0004	14	0	8	0	0	22	0	0	22
B PH0RM	PC-III LAB	18H61R0005	14	0	6	0	0	20	0	0	20
B PH0RM	PC-III LAB	18H61R0006	14	0	7	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0007	13	0	6	0	0	19	0	0	19
B PH0RM	PC-III LAB	18H61R0008	12	0	10	0	0	22	0	0	22
B PH0RM	PC-III LAB	18H61R0009	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0010	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0011	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0012	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0013	13	0	9	0	0	22	0	0	22
B PH0RM	PC-III LAB	18H61R0014	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0015	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0016	11	0	6	0	0	17	0	0	17
B PH0RM	PC-III LAB	18H61R0017	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0018	13	0	9	0	0	22	0	0	22
B PH0RM	PC-III LAB	18H61R0019	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0020	13	0	9	0	0	22	0	0	22
B PH0RM	PC-III LAB	18H61R0021	14	0	8	0	0	22	0	0	22

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	PC-III LAB	18H61R0022	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0023	11	0	9	0	0	20	0	0	20
B PH0RM	PC-III LAB	18H61R0024	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0025	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0026	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0027	10	0	8	0	0	18	0	0	18
B PH0RM	PC-III LAB	18H61R0028	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0029	10	0	8	0	0	18	0	0	18
B PH0RM	PC-III LAB	18H61R0030	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0031	12	0	7	0	0	19	0	0	19
B PH0RM	PC-III LAB	18H61R0032	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0033	13	0	10	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0034	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0035	14	0	8	0	0	22	0	0	22
B PH0RM	PC-III LAB	18H61R0036	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0037	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0038	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0039	10	0	9	0	0	19	0	0	19
B PH0RM	PC-III LAB	18H61R0040	11	0	9	0	0	20	0	0	20
B PH0RM	PC-III LAB	18H61R0041	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0043	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0044	13	0	9	0	0	22	0	0	22
B PH0RM	PC-III LAB	18H61R0046	11	0	9	0	0	20	0	0	20
B PH0RM	PC-III LAB	18H61R0047	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0048	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0049	9	0	6	0	0	15	0	0	15
B PH0RM	PC-III LAB	18H61R0050	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0051	7	0	6	0	0	13	0	0	13
B PH0RM	PC-III LAB	18H61R0052	12	0	8	0	0	20	0	0	20
B PH0RM	PC-III LAB	18H61R0053	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0055	11	0	7	0	0	18	0	0	18
B PH0RM	PC-III LAB	18H61R0056	10	0	0	0	0	10	0	0	10
B PH0RM	PC-III LAB	18H61R0057	14	0	9	0	0	23	0	0	23

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	PC-III LAB	18H61R0058	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0059	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0061	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0063	11	0	8	0	0	19	0	0	19
B PH0RM	PC-III LAB	18H61R0064	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0065	11	0	8	0	0	19	0	0	19
B PH0RM	PC-III LAB	18H61R0066	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0069	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0070	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0071	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0072	13	0	10	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0073	13	0	9	0	0	22	0	0	22
B PH0RM	PC-III LAB	18H61R0074	13	0	9	0	0	22	0	0	22
B PH0RM	PC-III LAB	18H61R0075	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0076	12	0	8	0	0	20	0	0	20
B PH0RM	PC-III LAB	18H61R0077	13	0	8	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0078	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0079	13	0	10	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0080	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0081	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0082	13	0	10	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0083	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0084	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0085	12	0	9	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0086	12	0	7	0	0	19	0	0	19
B PH0RM	PC-III LAB	18H61R0087	13	0	10	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0088	14	0	9	0	0	23	0	0	23
B PH0RM	PC-III LAB	18H61R0089	12	0	9	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0090	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0091	14	0	10	0	0	24	0	0	24
B PH0RM	PC-III LAB	18H61R0093	11	0	6	0	0	17	0	0	17
B PH0RM	PC-III LAB	18H61R0094	0	0	0	0	0	0	0	0	0
B PH0RM	PC-III LAB	18H61R0096	14	0	8	0	0	22	0	0	22

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	PC-III LAB	18H61R0097	12	0	9	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R0099	12	0	9	0	0	21	0	0	21
B PH0RM	PC-III LAB	18H61R00A0	13	0	10	0	0	23	0	0	23
B PH0RM	QA	17H61R0037	4	5	16	7	0	32	0	32	16
B PH0RM	QA	18H61R0001	4	5	14	14	0	37	0	37	19
B PH0RM	QA	18H61R0002	4	5	15	11	0	35	0	35	18
B PH0RM	QA	18H61R0003	5	5	15	15	0	40	0	40	20
B PH0RM	QA	18H61R0004	5	5	18	18	0	46	0	46	23
B PH0RM	QA	18H61R0005	4	5	15	10	0	34	0	34	17
B PH0RM	QA	18H61R0006	4	5	16	13	0	38	0	38	19
B PH0RM	QA	18H61R0007	4	5	14	11	0	34	0	34	17
B PH0RM	QA	18H61R0008	5	5	17	19	0	46	0	46	23
B PH0RM	QA	18H61R0009	5	5	15	7	17	49	7	42	21
B PH0RM	QA	18H61R0010	5	5	15	11	0	36	0	36	18
B PH0RM	QA	18H61R0011	4	4	13	17	0	38	0	38	19
B PH0RM	QA	18H61R0012	4	5	15	10	0	34	0	34	17
B PH0RM	QA	18H61R0013	4	5	15	19	0	43	0	43	22
B PH0RM	QA	18H61R0014	5	5	17	15	0	42	0	42	21
B PH0RM	QA	18H61R0015	4	5	16	7	0	32	0	32	16
B PH0RM	QA	18H61R0016	5	5	0	12	0	22	0	22	11
B PH0RM	QA	18H61R0017	4	5	16	18	0	43	0	43	22
B PH0RM	QA	18H61R0018	4	5	14	15	0	38	0	38	19
B PH0RM	QA	18H61R0019	5	5	19	20	0	49	0	49	25
B PH0RM	QA	18H61R0020	4	5	17	17	0	43	0	43	22
B PH0RM	QA	18H61R0021	4	5	17	14	0	40	0	40	20
B PH0RM	QA	18H61R0022	5	5	12	7	0	29	0	29	15
B PH0RM	QA	18H61R0023	5	5	17	13	0	40	0	40	20
B PH0RM	QA	18H61R0024	5	5	16	12	0	38	0	38	19
B PH0RM	QA	18H61R0025	5	5	15	15	0	40	0	40	20
B PH0RM	QA	18H61R0026	5	5	15	14	0	39	0	39	20
B PH0RM	QA	18H61R0027	4	4	15	11	0	34	0	34	17
B PH0RM	QA	18H61R0028	4	5	15	0	15	39	0	39	20
B PH0RM	QA	18H61R0029	5	4	12	11	0	32	0	32	16

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	QA	18H61R0030	5	5	17	17	0	44	0	44	22
B PH0RM	QA	18H61R0031	4	5	13	11	0	33	0	33	17
B PH0RM	QA	18H61R0032	5	5	16	20	0	46	0	46	23
B PH0RM	QA	18H61R0033	4	5	16	18	0	43	0	43	22
B PH0RM	QA	18H61R0034	4	5	14	10	0	33	0	33	17
B PH0RM	QA	18H61R0035	4	5	17	11	0	37	0	37	19
B PH0RM	QA	18H61R0036	5	5	17	18	0	45	0	45	23
B PH0RM	QA	18H61R0037	5	5	17	20	0	47	0	47	24
B PH0RM	QA	18H61R0038	5	5	16	18	0	44	0	44	22
B PH0RM	QA	18H61R0039	4	5	15	11	0	35	0	35	18
B PH0RM	QA	18H61R0040	5	4	13	10	0	32	0	32	16
B PH0RM	QA	18H61R0041	5	5	16	19	0	45	0	45	23
B PH0RM	QA	18H61R0043	5	5	16	19	0	45	0	45	23
B PH0RM	QA	18H61R0044	5	5	14	13	0	37	0	37	19
B PH0RM	QA	18H61R0046	4	5	17	10	0	36	0	36	18
B PH0RM	QA	18H61R0047	5	5	17	17	0	44	0	44	22
B PH0RM	QA	18H61R0048	5	5	17	14	0	41	0	41	21
B PH0RM	QA	18H61R0049	4	5	15	5	0	29	0	29	15
B PH0RM	QA	18H61R0050	5	5	18	15	0	43	0	43	22
B PH0RM	QA	18H61R0051	5	5	15	0	9	34	0	34	17
B PH0RM	QA	18H61R0052	5	5	16	12	0	38	0	38	19
B PH0RM	QA	18H61R0053	4	4	15	14	0	37	0	37	19
B PH0RM	QA	18H61R0055	4	5	14	10	0	33	0	33	17
B PH0RM	QA	18H61R0056	5	5	12	7	0	29	0	29	15
B PH0RM	QA	18H61R0057	4	5	14	7	0	30	0	30	15
B PH0RM	QA	18H61R0058	5	5	15	16	0	41	0	41	21
B PH0RM	QA	18H61R0059	4	5	16	14	0	39	0	39	20
B PH0RM	QA	18H61R0061	4	5	16	12	0	37	0	37	19
B PH0RM	QA	18H61R0063	4	5	12	8	0	29	0	29	15
B PH0RM	QA	18H61R0064	4	5	15	14	0	38	0	38	19
B PH0RM	QA	18H61R0065	4	5	12	9	15	45	9	36	18
B PH0RM	QA	18H61R0066	4	5	15	9	0	33	0	33	17
B PH0RM	QA	18H61R0069	5	4	15	15	0	39	0	39	20

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
B PH0RM	QA	18H61R0070	5	5	16	20	0	46	0	46	23
B PH0RM	QA	18H61R0071	5	5	15	17	0	42	0	42	21
B PH0RM	QA	18H61R0072	4	5	15	14	0	38	0	38	19
B PH0RM	QA	18H61R0073	5	5	17	14	0	41	0	41	21
B PH0RM	QA	18H61R0074	4	5	17	11	0	37	0	37	19
B PH0RM	QA	18H61R0075	4	5	15	15	0	39	0	39	20
B PH0RM	QA	18H61R0076	4	5	15	8	0	32	0	32	16
B PH0RM	QA	18H61R0077	5	5	15	5	0	30	0	30	15
B PH0RM	QA	18H61R0078	5	5	14	0	17	41	0	41	21
B PH0RM	QA	18H61R0079	4	5	14	11	0	34	0	34	17
B PH0RM	QA	18H61R0080	5	5	15	14	0	39	0	39	20
B PH0RM	QA	18H61R0081	5	5	17	13	0	40	0	40	20
B PH0RM	QA	18H61R0082	4	5	16	13	0	38	0	38	19
B PH0RM	QA	18H61R0083	5	5	17	11	0	38	0	38	19
B PH0RM	QA	18H61R0084	4	5	15	13	0	37	0	37	19
B PH0RM	QA	18H61R0085	4	5	16	17	0	42	0	42	21
B PH0RM	QA	18H61R0086	4	5	13	10	0	32	0	32	16
B PH0RM	QA	18H61R0087	5	5	14	10	0	34	0	34	17
B PH0RM	QA	18H61R0088	5	5	15	18	0	43	0	43	22
B PH0RM	QA	18H61R0089	4	5	16	12	0	37	0	37	19
B PH0RM	QA	18H61R0090	5	5	16	14	17	57	14	43	22
B PH0RM	QA	18H61R0091	5	5	16	12	0	38	0	38	19
B PH0RM	QA	18H61R0093	4	5	13	14	0	36	0	36	18
B PH0RM	QA	18H61R0094	4	5	12	0	0	21	0	21	11
B PH0RM	QA	18H61R0096	4	5	16	10	0	35	0	35	18
B PH0RM	QA	18H61R0097	4	5	14	3	17	43	3	40	20
B PH0RM	QA	18H61R0099	4	5	14	5	0	28	0	28	14
B PH0RM	QA	18H61R00A0	4	5	17	15	0	41	0	41	21