

III Year II-Semester

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	DAA	18H61A1201	5	5	15	19	15	59	15	44	22
IT_A	DAA	18H61A1202	5	5	11	12	15	48	11	37	19
IT_A	DAA	18H61A1203	5	4	14	17	16	56	14	42	21
IT_A	DAA	18H61A1204	5	4	13	7	14	43	7	36	18
IT_A	DAA	18H61A1205	5	5	13	14	0	37	0	37	19
IT_A	DAA	18H61A1206	3	4	12	6	12	37	6	31	16
IT_A	DAA	18H61A1207	5	5	13	8	13	44	8	36	18
IT_A	DAA	18H61A1208	5	4	17	17	0	43	0	43	22
IT_A	DAA	18H61A1209	5	5	12	16	0	38	0	38	19
IT_A	DAA	18H61A1210	5	4	15	9	10	43	9	34	17
IT_A	DAA	18H61A1211	5	4	20	11	0	40	0	40	20
IT_A	DAA	18H61A1212	5	5	14	17	16	57	14	43	22
IT_A	DAA	18H61A1213	5	5	12	11	16	49	11	38	19
IT_A	DAA	18H61A1214	5	5	18	18	0	46	0	46	23
IT_A	DAA	18H61A1215	5	5	12	17	17	56	12	44	22
IT_A	DAA	18H61A1216	4	3	15	15	0	37	0	37	19
IT_A	DAA	18H61A1217	4	4	17	14	0	39	0	39	20
IT_A	DAA	18H61A1218	5	4	10	10	13	42	10	32	16
IT_A	DAA	18H61A1219	5	5	15	17	17	59	15	44	22
IT_A	DAA	18H61A1220	5	4	16	16	17	58	16	42	21
IT_A	DAA	18H61A1222	5	5	14	3	0	27	0	27	14
IT_A	DAA	18H61A1224	5	4	13	15	16	53	13	40	20
IT_A	DAA	18H61A1225	4	0	8	6	0	18	0	18	9
IT_A	DAA	18H61A1226	5	4	11	3	11	34	3	31	16
IT_A	DAA	18H61A1227	4	2	14	13	0	33	0	33	17
IT_A	DAA	18H61A1228	5	4	17	5	13	44	5	39	20
IT_A	DAA	18H61A1229	5	5	17	16	20	63	16	47	24
IT_A	DAA	18H61A1230	5	5	19	18	0	47	0	47	24
IT_A	DAA	18H61A1231	5	4	16	13	0	38	0	38	19
IT_A	DAA	18H61A1232	5	4	18	15	16	58	15	43	22
IT_A	DAA	18H61A1233	5	5	19	0	15	44	0	44	22
IT_A	DAA	18H61A1235	5	5	14	20	0	44	0	44	22

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	DAA	18H61A1236	5	4	13	18	16	56	13	43	22
IT_A	DAA	18H61A1237	5	4	16	19	0	44	0	44	22
IT_A	DAA	18H61A1238	5	4	16	12	14	51	12	39	20
IT_A	DAA	18H61A1239	4	4	16	18	0	42	0	42	21
IT_A	DAA	18H61A1240	5	5	11	10	12	43	10	33	17
IT_A	DAA	18H61A1241	4	4	16	18	0	42	0	42	21
IT_A	DAA	18H61A1242	5	5	12	12	16	50	12	38	19
IT_A	DAA	18H61A1243	5	5	17	18	0	45	0	45	23
IT_A	DAA	18H61A1244	5	5	14	9	0	33	0	33	17
IT_A	DAA	18H61A1245	5	4	15	15	14	53	14	39	20
IT_A	DAA	18H61A1246	5	5	13	19	19	61	13	48	24
IT_A	DAA	18H61A1247	2	3	10	13	0	28	0	28	14
IT_A	DAA	18H61A1249	5	5	17	12	0	39	0	39	20
IT_A	DAA	18H61A1250	5	4	10	0	8	27	0	27	14
IT_A	DAA	18H61A1251	5	5	16	0	18	44	0	44	22
IT_A	DAA	18H61A1252	5	5	9	8	10	37	8	29	15
IT_A	DAA	18H61A1253	5	5	19	18	0	47	0	47	24
IT_A	DAA	18H61A1254	5	4	18	0	16	43	0	43	22
IT_A	DAA	18H61A1255	5	5	18	15	19	62	15	47	24
IT_A	DAA	18H61A1256	5	5	17	19	0	46	0	46	23
IT_A	DAA	18H61A1257	5	5	10	8	16	44	8	36	18
IT_A	DAA	18H61A1258	3	4	10	14	19	50	10	40	20
IT_A	DAA	18H61A1259	3	4	10	13	16	46	10	36	18
IT_A	DAA	18H61A1260	5	5	12	4	12	38	4	34	17
IT_B	DAA	18H61A1261	5	4	11	0	13	33	0	33	17
IT_B	DAA	18H61A1262	5	4	12	6	0	27	0	27	14
IT_B	DAA	18H61A1263	5	4	16	17	0	42	0	42	21
IT_B	DAA	18H61A1264	5	4	18	17	0	44	0	44	22
IT_B	DAA	18H61A1265	5	4	15	18	0	42	0	42	21
IT_B	DAA	18H61A1266	5	4	15	13	0	37	0	37	19
IT_B	DAA	18H61A1267	5	4	18	18	0	45	0	45	23
IT_B	DAA	18H61A1268	5	3	16	11	14	49	11	38	19
IT_B	DAA	18H61A1269	5	4	15	0	14	38	0	38	19

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_B	DAA	18H61A1270	5	5	13	10	16	49	10	39	20
IT_B	DAA	18H61A1271	5	5	18	16	0	44	0	44	22
IT_B	DAA	18H61A1272	5	4	18	12	0	39	0	39	20
IT_B	DAA	18H61A1273	5	4	12	6	18	45	6	39	20
IT_B	DAA	18H61A1274	5	4	13	14	16	52	13	39	20
IT_B	DAA	18H61A1275	5	4	19	11	13	52	11	41	21
IT_B	DAA	18H61A1276	5	4	14	12	16	51	12	39	20
IT_B	DAA	18H61A1277	5	4	17	18	0	44	0	44	22
IT_B	DAA	18H61A1278	4	4	14	13	0	35	0	35	18
IT_B	DAA	18H61A1279	5	4	16	19	0	44	0	44	22
IT_B	DAA	18H61A1280	5	3	13	13	16	50	13	37	19
IT_B	DAA	18H61A1281	5	4	15	19	0	43	0	43	22
IT_B	DAA	18H61A1282	5	5	17	19	0	46	0	46	23
IT_B	DAA	18H61A1283	4	4	13	12	14	47	12	35	18
IT_B	DAA	18H61A1284	5	4	12	13	14	48	12	36	18
IT_B	DAA	18H61A1285	5	5	14	13	0	37	0	37	19
IT_B	DAA	18H61A1286	5	4	7	17	13	46	7	39	20
IT_B	DAA	18H61A1287	5	4	15	0	17	41	0	41	21
IT_B	DAA	18H61A1288	5	4	16	16	0	41	0	41	21
IT_B	DAA	18H61A1289	5	4	17	16	0	42	0	42	21
IT_B	DAA	18H61A1290	5	4	14	10	8	41	8	33	17
IT_B	DAA	18H61A1291	4	5	18	16	0	43	0	43	22
IT_B	DAA	18H61A1292	5	4	15	10	17	51	10	41	21
IT_B	DAA	18H61A1293	5	4	14	11	0	34	0	34	17
IT_B	DAA	18H61A1294	4	4	17	19	0	44	0	44	22
IT_B	DAA	18H61A1295	5	4	15	10	0	34	0	34	17
IT_B	DAA	18H61A1296	5	4	19	18	0	46	0	46	23
IT_B	DAA	18H61A1297	5	5	11	13	0	34	0	34	17
IT_B	DAA	18H61A1298	4	4	17	20	0	45	0	45	23
IT_B	DAA	18H61A1299	5	4	15	20	0	44	0	44	22
IT_B	DAA	18H61A12A0	5	5	13	12	14	49	12	37	19
IT_B	DAA	18H61A12A1	3	4	13	7	11	38	7	31	16
IT_B	DAA	18H61A12A2	5	4	9	2	14	34	2	32	16

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_B	DAA	18H61A12A3	5	4	13	6	11	39	6	33	17
IT_B	DAA	18H61A12A4	5	4	15	17	0	41	0	41	21
IT_B	DAA	18H61A12A5	0	4	14	10	18	46	10	36	18
IT_B	DAA	18H61A12A6	5	4	15	6	12	42	6	36	18
IT_B	DAA	18H61A12A7	5	4	8	9	0	26	0	26	13
IT_B	DAA	18H61A12A8	5	5	14	15	0	39	0	39	20
IT_B	DAA	18H61A12A9	5	4	15	0	17	41	0	41	21
IT_B	DAA	18H61A12B0	3	3	16	18	17	57	16	41	21
IT_B	DAA	18H61A12B1	5	0	17	9	0	31	0	31	16
IT_B	DAA	18H61A12B2	5	4	12	14	0	35	0	35	18
IT_B	DAA	18H61A12B3	5	4	15	0	18	42	0	42	21
IT_B	DAA	18H61A12B4	5	5	12	5	16	43	5	38	19
IT_B	DAA	18H61A12B5	5	4	14	0	15	38	0	38	19
IT_B	DAA	18H61A12B7	5	4	19	19	0	47	0	47	24
IT_B	DAA	18H61A12B8	5	4	12	0	12	33	0	33	17
IT_B	DAA	18H61A12B9	5	4	12	9	12	42	9	33	17
IT_B	DAA	18H61A12C0	5	4	15	16	0	40	0	40	20
IT_A	DAA	19H65A1201	5	5	9	13	0	32	0	32	16
IT_A	DAA	19H65A1202	2	5	8	0	12	27	0	27	14
IT_A	DAA	19H65A1203	5	5	11	13	15	49	11	38	19
IT_A	DAA	19H65A1206	5	5	15	12	0	37	0	37	19
IT_B	DAA	19H65A1207	4	3	9	8	0	24	0	24	12
IT_B	DAA	19H65A1208	5	4	7	11	12	39	7	32	16
IT_B	DAA	19H65A1209	0	4	14	13	13	44	13	31	16
IT_B	DAA	19H65A1210	3	4	3	9	10	29	3	26	13
IT_B	DAA	19H65A1211	5	4	13	0	11	33	0	33	17
IT_B	DAA	19H65A1212	4	3	13	18	0	38	0	38	19
IT_A	DWDM	18H61A1201	5	5	13	17	18	58	13	45	23
IT_A	DWDM	18H61A1202	3	5	15	12	0	35	0	35	18
IT_A	DWDM	18H61A1203	5	5	11	12	17	50	11	39	20
IT_A	DWDM	18H61A1204	5	5	15	8	16	49	8	41	21
IT_A	DWDM	18H61A1205	5	4	13	8	0	30	0	30	15
IT_A	DWDM	18H61A1206	2	5	11	7	9	34	7	27	14

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	DWDM	18H61A1207	5	4	12	6	0	27	0	27	14
IT_A	DWDM	18H61A1208	0	5	17	20	0	42	0	42	21
IT_A	DWDM	18H61A1209	5	5	16	0	16	42	0	42	21
IT_A	DWDM	18H61A1210	4	5	15	2	10	36	2	34	17
IT_A	DWDM	18H61A1211	5	5	16	12	17	55	12	43	22
IT_A	DWDM	18H61A1212	4	5	16	7	13	45	7	38	19
IT_A	DWDM	18H61A1213	5	5	13	16	16	55	13	42	21
IT_A	DWDM	18H61A1214	4	5	17	16	17	59	16	43	22
IT_A	DWDM	18H61A1215	5	5	15	17	16	58	15	43	22
IT_A	DWDM	18H61A1216	5	5	15	20	0	45	0	45	23
IT_A	DWDM	18H61A1217	4	5	17	16	10	52	10	42	21
IT_A	DWDM	18H61A1218	5	5	8	13	16	47	8	39	20
IT_A	DWDM	18H61A1219	5	5	16	19	0	45	0	45	23
IT_A	DWDM	18H61A1220	5	5	18	18	0	46	0	46	23
IT_A	DWDM	18H61A1222	5	5	14	7	0	31	0	31	16
IT_A	DWDM	18H61A1224	5	5	17	7	18	52	7	45	23
IT_A	DWDM	18H61A1225	5	5	0	5	10	25	0	25	13
IT_A	DWDM	18H61A1226	5	5	14	14	0	38	0	38	19
IT_A	DWDM	18H61A1227	2	5	9	16	0	32	0	32	16
IT_A	DWDM	18H61A1228	5	5	13	11	15	49	11	38	19
IT_A	DWDM	18H61A1229	5	5	15	9	18	52	9	43	22
IT_A	DWDM	18H61A1230	4	5	18	20	0	47	0	47	24
IT_A	DWDM	18H61A1231	0	5	19	19	0	43	0	43	22
IT_A	DWDM	18H61A1232	5	5	16	20	0	46	0	46	23
IT_A	DWDM	18H61A1233	5	5	17	0	16	43	0	43	22
IT_A	DWDM	18H61A1235	5	5	18	20	0	48	0	48	24
IT_A	DWDM	18H61A1236	5	5	15	18	0	43	0	43	22
IT_A	DWDM	18H61A1237	5	5	17	20	0	47	0	47	24
IT_A	DWDM	18H61A1238	5	5	18	15	12	55	12	43	22
IT_A	DWDM	18H61A1239	5	5	16	19	0	45	0	45	23
IT_A	DWDM	18H61A1240	5	5	10	5	10	35	5	30	15
IT_A	DWDM	18H61A1241	5	5	15	15	18	58	15	43	22
IT_A	DWDM	18H61A1242	5	5	13	13	0	36	0	36	18

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	DWDM	18H61A1243	5	5	18	20	0	48	0	48	24
IT_A	DWDM	18H61A1244	5	5	10	5	0	25	0	25	13
IT_A	DWDM	18H61A1245	5	5	17	13	2	42	2	40	20
IT_A	DWDM	18H61A1246	5	5	16	17	0	43	0	43	22
IT_A	DWDM	18H61A1247	3	5	12	15	0	35	0	35	18
IT_A	DWDM	18H61A1249	5	5	17	10	0	37	0	37	19
IT_A	DWDM	18H61A1250	5	4	12	0	16	37	0	37	19
IT_A	DWDM	18H61A1251	5	4	16	0	17	42	0	42	21
IT_A	DWDM	18H61A1252	5	5	12	2	5	29	2	27	14
IT_A	DWDM	18H61A1253	5	5	15	7	18	50	7	43	22
IT_A	DWDM	18H61A1254	4	4	16	0	18	42	0	42	21
IT_A	DWDM	18H61A1255	5	5	17	12	18	57	12	45	23
IT_A	DWDM	18H61A1256	4	5	15	19	18	61	15	46	23
IT_A	DWDM	18H61A1257	5	5	13	5	10	38	5	33	17
IT_A	DWDM	18H61A1258	4	5	14	12	16	51	12	39	20
IT_A	DWDM	18H61A1259	5	5	15	17	17	59	15	44	22
IT_A	DWDM	18H61A1260	5	5	10	6	10	36	6	30	15
IT_B	DWDM	18H61A1261	5	5	14	0	4	28	0	28	14
IT_B	DWDM	18H61A1262	5	3	13	11	0	32	0	32	16
IT_B	DWDM	18H61A1263	5	5	17	17	19	63	17	46	23
IT_B	DWDM	18H61A1264	5	4	17	17	0	43	0	43	22
IT_B	DWDM	18H61A1265	5	5	19	18	0	47	0	47	24
IT_B	DWDM	18H61A1266	5	4	17	19	0	45	0	45	23
IT_B	DWDM	18H61A1267	5	4	19	13	20	61	13	48	24
IT_B	DWDM	18H61A1268	5	4	17	0	11	37	0	37	19
IT_B	DWDM	18H61A1269	5	5	17	0	18	45	0	45	23
IT_B	DWDM	18H61A1270	0	5	16	9	18	48	9	39	20
IT_B	DWDM	18H61A1271	5	5	15	20	0	45	0	45	23
IT_B	DWDM	18H61A1272	5	5	16	17	0	43	0	43	22
IT_B	DWDM	18H61A1273	5	4	17	6	16	48	6	42	21
IT_B	DWDM	18H61A1274	5	5	14	15	0	39	0	39	20
IT_B	DWDM	18H61A1275	5	5	13	9	18	50	9	41	21
IT_B	DWDM	18H61A1276	5	4	14	11	0	34	0	34	17

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_B	DWDM	18H61A1277	5	5	15	17	0	42	0	42	21
IT_B	DWDM	18H61A1278	5	4	14	13	17	53	13	40	20
IT_B	DWDM	18H61A1279	5	5	17	19	0	46	0	46	23
IT_B	DWDM	18H61A1280	5	4	16	11	18	54	11	43	22
IT_B	DWDM	18H61A1281	5	4	18	19	0	46	0	46	23
IT_B	DWDM	18H61A1282	5	3	19	18	0	45	0	45	23
IT_B	DWDM	18H61A1283	5	5	17	16	0	43	0	43	22
IT_B	DWDM	18H61A1284	5	3	17	6	18	49	6	43	22
IT_B	DWDM	18H61A1285	5	5	18	13	0	41	0	41	21
IT_B	DWDM	18H61A1286	5	3	17	11	18	54	11	43	22
IT_B	DWDM	18H61A1287	5	4	17	0	20	46	0	46	23
IT_B	DWDM	18H61A1288	5	4	16	6	0	31	0	31	16
IT_B	DWDM	18H61A1289	5	4	18	16	0	43	0	43	22
IT_B	DWDM	18H61A1290	5	5	17	5	13	45	5	40	20
IT_B	DWDM	18H61A1291	5	4	17	15	0	41	0	41	21
IT_B	DWDM	18H61A1292	5	5	18	9	18	55	9	46	23
IT_B	DWDM	18H61A1293	5	3	9	4	16	37	4	33	17
IT_B	DWDM	18H61A1294	5	5	18	19	0	47	0	47	24
IT_B	DWDM	18H61A1295	5	5	17	16	0	43	0	43	22
IT_B	DWDM	18H61A1296	5	5	18	15	0	43	0	43	22
IT_B	DWDM	18H61A1297	4	5	17	5	17	48	5	43	22
IT_B	DWDM	18H61A1298	5	4	17	16	0	42	0	42	21
IT_B	DWDM	18H61A1299	5	5	19	17	0	46	0	46	23
IT_B	DWDM	18H61A12A0	5	5	16	15	12	53	12	41	21
IT_B	DWDM	18H61A12A1	5	5	15	13	16	54	13	41	21
IT_B	DWDM	18H61A12A2	5	5	15	0	13	38	0	38	19
IT_B	DWDM	18H61A12A3	5	4	16	12	14	51	12	39	20
IT_B	DWDM	18H61A12A4	5	4	19	12	18	58	12	46	23
IT_B	DWDM	18H61A12A5	0	5	16	7	19	47	7	40	20
IT_B	DWDM	18H61A12A6	5	5	17	0	17	44	0	44	22
IT_B	DWDM	18H61A12A7	5	4	13	0	12	34	0	34	17
IT_B	DWDM	18H61A12A8	5	4	17	5	18	49	5	44	22
IT_B	DWDM	18H61A12A9	5	5	17	0	20	47	0	47	24

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_B	DWDM	18H61A12B0	5	3	18	16	0	42	0	42	21
IT_B	DWDM	18H61A12B1	5	3	16	12	0	36	0	36	18
IT_B	DWDM	18H61A12B2	5	5	16	11	17	54	11	43	22
IT_B	DWDM	18H61A12B3	5	5	13	6	18	47	6	41	21
IT_B	DWDM	18H61A12B4	5	3	14	14	0	36	0	36	18
IT_B	DWDM	18H61A12B5	5	5	16	0	18	44	0	44	22
IT_B	DWDM	18H61A12B7	5	4	15	17	20	61	15	46	23
IT_B	DWDM	18H61A12B8	5	2	12	0	13	32	0	32	16
IT_B	DWDM	18H61A12B9	5	3	12	2	10	32	2	30	15
IT_B	DWDM	18H61A12C0	5	4	11	11	19	50	11	39	20
IT_A	DWDM	19H65A1201	3	5	12	10	10	40	10	30	15
IT_A	DWDM	19H65A1202	5	5	11	14	0	35	0	35	18
IT_A	DWDM	19H65A1203	5	5	15	15	17	57	15	42	21
IT_A	DWDM	19H65A1206	3	2	16	14	0	35	0	35	18
IT_B	DWDM	19H65A1207	5	4	12	9	0	30	0	30	15
IT_B	DWDM	19H65A1208	5	5	13	9	17	49	9	40	20
IT_B	DWDM	19H65A1209	0	4	14	3	15	36	3	33	17
IT_B	DWDM	19H65A1210	5	5	13	5	17	45	5	40	20
IT_B	DWDM	19H65A1211	5	0	12	0	10	27	0	27	14
IT_B	DWDM	19H65A1212	5	3	7	8	0	23	0	23	12
IT-A	EEES	18H61A1201	5	0	17	15	0	37	0	37	19
IT-A	EEES	18H61A1202	5	5	18	21	0	49	0	49	25
IT-A	EEES	18H61A1205	5	5	17	15	0	42	0	42	21
IT-A	EEES	18H61A1208	5	5	17	17	0	44	0	44	22
IT-A	EEES	18H61A1209	5	5	13	14	0	37	0	37	19
IT-A	EEES	18H61A1214	5	5	18	16	0	44	0	44	22
IT-A	EEES	18H61A1215	5	5	16	15	17	58	15	43	22
IT-A	EEES	18H61A1216	5	5	16	16	0	42	0	42	21
IT-A	EEES	18H61A1218	0	5	16	16	0	37	0	37	19
IT-A	EEES	18H61A1219	5	5	18	17	0	45	0	45	23
IT-A	EEES	18H61A1220	5	5	18	17	18	63	17	46	23
IT-A	EEES	18H61A1224	0	5	18	0	18	41	0	41	21
IT-A	EEES	18H61A1229	5	5	17	17	0	44	0	44	22

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-A	EEES	18H61A1230	5	5	17	17	0	44	0	44	22
IT-A	EEES	18H61A1231	5	5	17	18	0	45	0	45	23
IT-A	EEES	18H61A1232	5	5	17	15	0	42	0	42	21
IT-A	EEES	18H61A1233	5	5	18	16	0	44	0	44	22
IT-A	EEES	18H61A1235	0	5	18	15	0	38	0	38	19
IT-A	EEES	18H61A1237	5	5	17	17	0	44	0	44	22
IT-A	EEES	18H61A1238	5	5	17	15	0	42	0	42	21
IT-A	EEES	18H61A1239	5	5	16	15	0	41	0	41	21
IT-A	EEES	18H61A1241	5	5	17	16	0	43	0	43	22
IT-A	EEES	18H61A1242	0	5	17	15	0	37	0	37	19
IT-A	EEES	18H61A1243	5	5	17	18	0	45	0	45	23
IT-A	EEES	18H61A1245	5	5	16	15	17	58	15	43	22
IT-A	EEES	18H61A1246	5	5	17	18	0	45	0	45	23
IT-A	EEES	18H61A1249	5	5	17	17	0	44	0	44	22
IT-A	EEES	18H61A1251	0	5	18	17	0	40	0	40	20
IT-A	EEES	18H61A1253	5	5	17	15	0	42	0	42	21
IT-A	EEES	18H61A1254	5	5	17	17	0	44	0	44	22
IT-A	EEES	18H61A1255	5	5	19	15	0	44	0	44	22
IT-A	EEES	18H61A1256	5	5	18	17	0	45	0	45	23
IT-A	EEES	18H61A1259	5	5	18	0	17	45	0	45	23
IT-B	EEES	18H61A1263	5	5	17	16	0	43	0	43	22
IT-B	EEES	18H61A1264	5	5	17	15	0	42	0	42	21
IT-B	EEES	18H61A1266	5	5	17	18	0	45	0	45	23
IT-B	EEES	18H61A1267	5	0	17	17	0	39	0	39	20
IT-B	EEES	18H61A1269	5	5	18	17	16	61	16	45	23
IT-B	EEES	18H61A1271	5	5	17	18	0	45	0	45	23
IT-B	EEES	18H61A1272	5	5	15	16	0	41	0	41	21
IT-B	EEES	18H61A1273	5	5	17	16	0	43	0	43	22
IT-B	EEES	18H61A1274	5	5	17	18	0	45	0	45	23
IT-B	EEES	18H61A1275	5	5	18	16	0	44	0	44	22
IT-B	EEES	18H61A1277	5	5	17	18	0	45	0	45	23
IT-B	EEES	18H61A1278	5	5	16	16	0	42	0	42	21
IT-B	EEES	18H61A1279	5	5	17	16	0	43	0	43	22

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	EEES	18H61A1280	5	5	17	14	0	41	0	41	21
IT-B	EEES	18H61A1281	5	5	16	16	0	42	0	42	21
IT-B	EEES	18H61A1282	5	5	16	18	0	44	0	44	22
IT-B	EEES	18H61A1283	5	5	16	17	0	43	0	43	22
IT-B	EEES		5	5	16	16	0	42	0	42	21
IT-B	EEES	18H61A1285	5	5	17	15	17	59	15	44	22
IT-B	EEES	18H61A1286	5	5	16	17	0	43	0	43	22
IT-B	EEES	18H61A1287	5	5	17	16	0	43	0	43	22
IT-B	EEES	18H61A1288	0	0	0	17	0	17	0	17	9
IT-B	EEES	18H61A1289	5	5	17	17	0	44	0	44	22
IT-B	EEES	18H61A1291	5	5	17	16	0	43	0	43	22
IT-B	EEES	18H61A1292	5	5	17	0	16	43	0	43	22
IT-B	EEES	18H61A1294	5	5	18	16	0	44	0	44	22
IT-B	EEES	18H61A1296	5	5	18	17	0	45	0	45	23
IT-B	EEES	18H61A1297	5	5	16	16	0	42	0	42	21
IT-B	EEES	18H61A1298	5	5	18	16	0	44	0	44	22
IT-B	EEES	18H61A1299	5	5	18	18	0	46	0	46	23
IT-B	EEES	18H61A12A0	0	5	13	12	14	44	12	32	16
IT-B	EEES	18H61A12A1	0	0	0	17	0	17	0	17	9
IT-B	EEES	18H61A12A4	5	5	19	16	0	45	0	45	23
IT-B	EEES	18H61A12A5	0	5	16	18	18	57	16	41	21
IT-B	EEES	18H61A12A8	5	5	17	16	0	43	0	43	22
IT-B	EEES	18H61A12A9	5	5	0	19	18	47	0	47	24
IT-B	EEES	18H61A12B0	5	5	17	16	0	43	0	43	22
IT-B	EEES	18H61A12B3	0	5	18	9	17	49	9	40	20
IT-B	EEES	18H61A12B5	5	5	18	0	17	45	0	45	23
IT-B	EEES	18H61A12B7	5	5	16	16	0	42	0	42	21
IT-B	EEES	18H61A12C0	5	5	18	15	0	43	0	43	22
IT_A	HCI	18H61A1201	5	5	18	20	0	48	0	48	24
IT_A	HCI	18H61A1202	5	5	16	15	0	41	0	41	21
IT_A	HCI	18H61A1203	5	5	15	6	18	49	6	43	22
IT_A	HCI	18H61A1204	5	5	17	9	15	51	9	42	21
IT_A	HCI	18H61A1205	5	5	16	19	0	45	0	45	23

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	HCI	18H61A1206	5	2	14	10	0	31	0	31	16
IT_A	HCI	18H61A1207	5	5	14	12	0	36	0	36	18
IT_A	HCI	18H61A1208	5	5	20	20	0	50	0	50	25
IT_A	HCI	18H61A1209	5	5	18	15	0	43	0	43	22
IT_A	HCI	18H61A1210	5	5	16	1	0	27	0	27	14
IT_A	HCI	18H61A1211	5	5	19	19	0	48	0	48	24
IT_A	HCI	18H61A1212	5	5	17	10	10	47	10	37	19
IT_A	HCI	18H61A1213	5	5	17	9	17	53	9	44	22
IT_A	HCI	18H61A1214	5	5	19	20	0	49	0	49	25
IT_A	HCI	18H61A1215	5	5	19	9	20	58	9	49	25
IT_A	HCI	18H61A1216	4	3	19	16	20	62	16	46	23
IT_A	HCI	18H61A1217	5	5	16	13	0	39	0	39	20
IT_A	HCI	18H61A1218	5	5	17	9	0	36	0	36	18
IT_A	HCI	18H61A1219	5	5	16	20	0	46	0	46	23
IT_A	HCI	18H61A1220	5	5	17	15	12	54	12	42	21
IT_A	HCI	18H61A1222	5	5	18	1	0	29	0	29	15
IT_A	HCI	18H61A1224	5	5	16	12	0	38	0	38	19
IT_A	HCI	18H61A1225	5	2	12	2	0	21	0	21	11
IT_A	HCI	18H61A1226	3	5	17	4	0	29	0	29	15
IT_A	HCI	18H61A1227	4	2	13	0	7	26	0	26	13
IT_A	HCI	18H61A1228	5	5	16	7	8	41	7	34	17
IT_A	HCI	18H61A1229	5	2	17	12	0	36	0	36	18
IT_A	HCI	18H61A1230	5	5	18	16	0	44	0	44	22
IT_A	HCI	18H61A1231	5	5	19	18	0	47	0	47	24
IT_A	HCI	18H61A1232	5	5	18	16	0	44	0	44	22
IT_A	HCI	18H61A1233	5	5	17	14	0	41	0	41	21
IT_A	HCI	18H61A1235	5	5	18	17	0	45	0	45	23
IT_A	HCI	18H61A1236	5	5	18	14	0	42	0	42	21
IT_A	HCI	18H61A1237	5	5	18	20	0	48	0	48	24
IT_A	HCI	18H61A1238	5	5	18	11	20	59	11	48	24
IT_A	HCI	18H61A1239	5	4	17	12	0	38	0	38	19
IT_A	HCI	18H61A1241	4	5	18	11	18	56	11	45	23
IT_A	HCI	18H61A1242	4	5	17	11	0	37	0	37	19

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	HCI	18H61A1243	5	5	20	20	0	50	0	50	25
IT-A	HCI	18H61A1244	5	5	14	14	0	38	0	38	19
IT-A	HCI	18H61A1245	5	2	17	15	12	51	12	39	20
IT-A	HCI	18H61A1246	5	5	18	20	0	48	0	48	24
IT-A	HCI	18H61A1247	4	4	15	9	0	32	0	32	16
IT-A	HCI	18H61A1249	5	5	19	19	0	48	0	48	24
IT-A	HCI	18H61A1250	5	2	16	0	15	38	0	38	19
IT-A	HCI	18H61A1251	5	4	18	14	20	61	14	47	24
IT-A	HCI	18H61A1252	5	5	16	2	6	34	2	32	16
IT-A	HCI	18H61A1253	5	5	17	0	12	39	0	39	20
IT-A	HCI	18H61A1254	5	5	17	9	19	55	9	46	23
IT-A	HCI	18H61A1255	5	5	18	8	18	54	8	46	23
IT-A	HCI	18H61A1256	5	5	18	17	0	45	0	45	23
IT-A	HCI	18H61A1257	5	5	15	11	0	36	0	36	18
IT-A	HCI	18H61A1258	5	5	17	10	0	37	0	37	19
IT-A	HCI	18H61A1259	5	5	18	12	0	40	0	40	20
IT-A	HCI	18H61A1260	5	5	17	6	8	41	6	35	18
IT-B	HCI	18H61A1266	5	5	20	19	0	49	0	49	25
IT-B	HCI	18H61A1268	5	5	14	0	9	33	0	33	17
IT-B	HCI	18H61A1269	5	5	16	0	17	43	0	43	22
IT-B	HCI	18H61A1273	5	5	15	18	0	43	0	43	22
IT-B	HCI	18H61A1277	5	5	17	20	0	47	0	47	24
IT-B	HCI	18H61A1279	5	5	17	19	0	46	0	46	23
IT-B	HCI	18H61A1281	5	5	17	16	0	43	0	43	22
IT-B	HCI	18H61A1282	5	5	18	20	0	48	0	48	24
IT-B	HCI	18H61A1283	4	5	13	13	17	52	13	39	20
IT-B	HCI	18H61A1286	5	2	15	14	0	36	0	36	18
IT-B	HCI	18H61A1287	4	5	19	10	15	53	10	43	22
IT-B	HCI	18H61A1297	4	5	16	12	0	37	0	37	19
IT-B	HCI	18H61A1298	4	5	16	18	0	43	0	43	22
IT-B	HCI	18H61A12A0	5	5	17	9	15	51	9	42	21
IT-B	HCI	18H61A12A2	5	5	18	0	18	46	0	46	23
IT-B	HCI	18H61A12A3	5	5	17	15	13	55	13	42	21

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	HCI	18H61A12A4	5	5	18	14	0	42	0	42	21
IT-B	HCI	18H61A12A5	2	5	19	18	16	60	16	44	22
IT-B	HCI	18H61A12A6	5	5	18	0	15	43	0	43	22
IT-B	HCI	18H61A12A9	5	5	20	20	0	50	0	50	25
IT-B	HCI	18H61A12B1	5	2	19	8	0	34	0	34	17
IT-B	HCI	18H61A12B3	4	4	17	12	18	55	12	43	22
IT-B	HCI	18H61A12B5	5	5	17	0	13	40	0	40	20
IT-B	HCI	18H61A12B9	5	5	11	13	14	48	11	37	19
IT-B	HCI	18H61A12C0	5	5	18	15	0	43	0	43	22
IT-A	HCI	19H65A1202	5	5	16	15	0	41	0	41	21
IT-A	HCI	19H65A1203	5	5	17	15	14	56	14	42	21
IT-A	HCI	19H65A1206	4	5	17	12	17	55	12	43	22
IT_A	INS	18H61A1240	5	5	18	12	10	50	10	40	20
IT-B	INS	18H61A1261	5	0	18	0	0	23	0	23	12
IT-B	INS	18H61A1262	5	5	20	20	0	50	0	50	25
IT-B	INS	18H61A1263	5	5	20	18	0	48	0	48	24
IT-B	INS	18H61A1264	5	5	20	19	0	49	0	49	25
IT-B	INS	18H61A1265	5	5	20	20	0	50	0	50	25
IT-B	INS	18H61A1267	5	5	20	19	0	49	0	49	25
IT-B	INS	18H61A1270	5	4	20	17	0	46	0	46	23
IT-B	INS	18H61A1271	5	5	20	19	0	49	0	49	25
IT-B	INS	18H61A1272	5	4	20	17	0	46	0	46	23
IT-B	INS	18H61A1274	5	4	20	18	0	47	0	47	24
IT-B	INS	18H61A1275	5	5	20	19	0	49	0	49	25
IT-B	INS	18H61A1276	5	4	20	11	19	59	11	48	24
IT-B	INS	18H61A1278	5	5	19	20	0	49	0	49	25
IT-B	INS	18H61A1280	5	4	20	18	0	47	0	47	24
IT-B	INS	18H61A1284	5	4	20	18	0	47	0	47	24
IT-B	INS	18H61A1285	5	5	18	19	0	47	0	47	24
IT-B	INS	18H61A1288	5	5	18	20	0	48	0	48	24
IT-B	INS	18H61A1289	5	5	20	18	0	48	0	48	24
IT-B	INS	18H61A1290	5	4	20	12	16	57	12	45	23
IT-B	INS	18H61A1291	5	5	19	19	0	48	0	48	24

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	INS	18H61A1292	5	5	20	0	18	48	0	48	24
IT-B	INS	18H61A1293	5	5	18	19	0	47	0	47	24
IT-B	INS	18H61A1294	5	5	20	20	0	50	0	50	25
IT-B	INS	18H61A1295	5	5	19	11	0	40	0	40	20
IT-B	INS	18H61A1296	5	5	20	19	0	49	0	49	25
IT-B	INS	18H61A1299	5	5	20	20	0	50	0	50	25
IT-B	INS	18H61A12A1	5	5	18	20	16	64	16	48	24
IT-B	INS	18H61A12A7	5	5	19	0	15	44	0	44	22
IT-B	INS	18H61A12A8	5	5	19	20	0	49	0	49	25
IT-B	INS	18H61A12B0	5	5	20	20	0	50	0	50	25
IT-B	INS	18H61A12B2	5	5	20	13	0	43	0	43	22
IT-B	INS	18H61A12B4	5	5	18	19	0	47	0	47	24
IT-B	INS	18H61A12B7	5	5	20	16	0	46	0	46	23
IT-B	INS	18H61A12B8	5	5	19	0	18	47	0	47	24
IT_A	INS	19H65A1201	5	5	19	13	20	62	13	49	25
IT-B	INS	19H65A1207	5	4	19	11	0	39	0	39	20
IT-B	INS	19H65A1208	5	5	18	18	0	46	0	46	23
IT-B	INS	19H65A1209	5	4	10	13	20	52	10	42	21
IT-B	INS	19H65A1210	5	5	18	20	0	48	0	48	24
IT-B	INS	19H65A1211	5	5	15	0	12	37	0	37	19
IT-B	INS	19H65A1212	5	5	20	19	0	49	0	49	25
IT_A	ML	18H61A1201	5	5	16	11	17	54	11	43	22
IT_A	ML	18H61A1202	5	5	13	10	0	33	0	33	17
IT_A	ML	18H61A1203	5	5	15	0	10	35	0	35	18
IT_A	ML	18H61A1204	5	5	13	0	9	32	0	32	16
IT_A	ML	18H61A1205	5	5	17	4	13	44	4	40	20
IT_A	ML	18H61A1206	5	5	14	2	9	35	2	33	17
IT_A	ML	18H61A1207	4	5	14	6	13	42	6	36	18
IT_A	ML	18H61A1208	5	5	17	14	16	57	14	43	22
IT_A	ML	18H61A1209	5	5	17	0	13	40	0	40	20
IT_A	ML	18H61A1210	5	2	13	7	8	35	7	28	14
IT_A	ML	18H61A1211	5	5	14	7	11	42	7	35	18
IT_A	ML	18H61A1212	5	5	18	5	12	45	5	40	20

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	ML	18H61A1213	5	5	13	0	12	35	0	35	18
IT_A	ML	18H61A1214	5	3	16	11	17	52	11	41	21
IT_A	ML	18H61A1215	5	5	14	8	15	47	8	39	20
IT_A	ML	18H61A1216	5	5	17	13	15	55	13	42	21
IT_A	ML	18H61A1217	5	5	13	9	13	45	9	36	18
IT_A	ML	18H61A1218	5	5	12	5	7	34	5	29	15
IT_A	ML	18H61A1219	5	5	11	12	16	49	11	38	19
IT_A	ML	18H61A1220	5	5	17	8	15	50	8	42	21
IT_A	ML	18H61A1222	5	5	16	1	0	27	0	27	14
IT_A	ML	18H61A1224	5	5	16	0	10	36	0	36	18
IT_A	ML	18H61A1225	3	5	7	0	6	21	0	21	11
IT_A	ML	18H61A1226	5	5	15	2	6	33	2	31	16
IT_A	ML	18H61A1227	0	5	0	0	11	16	0	16	8
IT_A	ML	18H61A1228	5	5	13	4	11	38	4	34	17
IT_A	ML	18H61A1229	5	5	14	4	16	44	4	40	20
IT_A	ML	18H61A1230	5	5	15	18	0	43	0	43	22
IT_A	ML	18H61A1231	5	5	16	8	16	50	8	42	21
IT_A	ML	18H61A1232	5	5	15	11	17	53	11	42	21
IT_A	ML	18H61A1233	5	5	12	0	13	35	0	35	18
IT_A	ML	18H61A1235	5	5	14	13	0	37	0	37	19
IT_A	ML	18H61A1236	5	5	13	2	9	34	2	32	16
IT_A	ML	18H61A1237	5	5	12	12	17	51	12	39	20
IT_A	ML	18H61A1238	5	5	17	16	10	53	10	43	22
IT_A	ML	18H61A1239	5	5	14	10	16	50	10	40	20
IT_A	ML	18H61A1240	5	5	16	0	4	30	0	30	15
IT_A	ML	18H61A1241	5	5	15	10	13	48	10	38	19
IT_A	ML	18H61A1242	5	5	12	10	4	36	4	32	16
IT_A	ML	18H61A1243	5	5	15	18	0	43	0	43	22
IT_A	ML	18H61A1244	5	5	12	8	0	30	0	30	15
IT_A	ML	18H61A1245	5	5	15	11	10	46	10	36	18
IT_A	ML	18H61A1246	5	5	17	16	0	43	0	43	22
IT_A	ML	18H61A1247	5	5	11	4	11	36	4	32	16
IT_A	ML	18H61A1249	5	5	16	6	16	48	6	42	21

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	ML	18H61A1250	5	5	15	0	6	31	0	31	16
IT_A	ML	18H61A1251	5	5	15	0	14	39	0	39	20
IT_A	ML	18H61A1252	5	5	14	0	5	29	0	29	15
IT_A	ML	18H61A1253	5	5	15	10	0	35	0	35	18
IT_A	ML	18H61A1254	5	5	15	0	15	40	0	40	20
IT_A	ML	18H61A1255	5	5	17	0	5	32	0	32	16
IT_A	ML	18H61A1256	5	5	13	15	16	54	13	41	21
IT_A	ML	18H61A1257	5	5	12	7	7	36	7	29	15
IT_A	ML	18H61A1258	5	5	15	0	14	39	0	39	20
IT_A	ML	18H61A1259	5	5	15	10	7	42	7	35	18
IT_A	ML	18H61A1260	5	5	14	5	6	35	5	30	15
IT-B	ML	18H61A1261	5	3	15	0	6	29	0	29	15
IT-B	ML	18H61A1262	5	4	13	5	0	27	0	27	14
IT-B	ML	18H61A1263	5	5	15	5	14	44	5	39	20
IT-B	ML	18H61A1264	5	5	15	17	0	42	0	42	21
IT-B	ML	18H61A1265	5	5	17	0	15	42	0	42	21
IT-B	ML	18H61A1266	5	5	13	13	16	52	13	39	20
IT-B	ML	18H61A1267	5	3	16	18	0	42	0	42	21
IT-B	ML	18H61A1268	5	3	12	0	10	30	0	30	15
IT-B	ML	18H61A1269	5	5	17	0	16	43	0	43	22
IT-B	ML	18H61A1270	5	3	16	9	13	46	9	37	19
IT-B	ML	18H61A1271	5	3	17	17	0	42	0	42	21
IT-B	ML	18H61A1272	5	4	13	8	13	43	8	35	18
IT-B	ML	18H61A1273	4	3	12	7	15	41	7	34	17
IT-B	ML	18H61A1274	5	4	15	14	1	39	1	38	19
IT-B	ML	18H61A1275	5	4	16	5	11	41	5	36	18
IT-B	ML	18H61A1276	5	3	15	0	10	33	0	33	17
IT-B	ML	18H61A1277	5	5	13	15	12	50	12	38	19
IT-B	ML	18H61A1278	5	1	13	8	11	38	8	30	15
IT-B	ML	18H61A1279	5	4	16	7	12	44	7	37	19
IT-B	ML	18H61A1280	5	5	15	5	8	38	5	33	17
IT-B	ML	18H61A1281	5	4	17	14	6	46	6	40	20
IT-B	ML	18H61A1282	5	3	16	15	0	39	0	39	20

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	ML	18H61A1283	5	5	10	16	3	39	3	36	18
IT-B	ML	18H61A1284	5	4	12	3	13	37	3	34	17
IT-B	ML	18H61A1285	5	4	13	2	11	35	2	33	17
IT-B	ML	18H61A1286	5	4	12	10	10	41	10	31	16
IT-B	ML	18H61A1287	5	3	13	12	8	41	8	33	17
IT-B	ML	18H61A1288	5	3	10	9	0	27	0	27	14
IT-B	ML	18H61A1289	5	4	15	16	4	44	4	40	20
IT-B	ML	18H61A1290	5	4	13	7	6	35	6	29	15
IT-B	ML	18H61A1291	5	3	15	6	0	29	0	29	15
IT-B	ML	18H61A1292	5	5	14	8	7	39	7	32	16
IT-B	ML	18H61A1293	5	4	15	2	8	34	2	32	16
IT-B	ML	18H61A1294	5	5	15	15	1	41	1	40	20
IT-B	ML	18H61A1295	5	5	14	4	0	28	0	28	14
IT-B	ML	18H61A1296	5	5	14	10	0	34	0	34	17
IT-B	ML	18H61A1297	4	5	12	0	10	31	0	31	16
IT-B	ML	18H61A1298	5	3	14	17	0	39	0	39	20
IT-B	ML	18H61A1299	5	5	17	16	0	43	0	43	22
IT-B	ML	18H61A12A0	5	4	13	10	9	41	9	32	16
IT-B	ML	18H61A12A1	3	3	16	6	11	39	6	33	17
IT-B	ML	18H61A12A2	5	5	16	0	7	33	0	33	17
IT-B	ML	18H61A12A3	4	4	12	2	9	31	2	29	15
IT-B	ML	18H61A12A4	5	4	17	5	11	42	5	37	19
IT-B	ML	18H61A12A5	0	3	13	4	14	34	4	30	15
IT-B	ML	18H61A12A6	4	5	13	0	8	30	0	30	15
IT-B	ML	18H61A12A7	5	3	11	0	8	27	0	27	14
IT-B	ML	18H61A12A8	5	2	13	8	12	40	8	32	16
IT-B	ML	18H61A12A9	5	4	13	0	16	38	0	38	19
IT-B	ML	18H61A12B0	5	5	12	12	16	50	12	38	19
IT-B	ML	18H61A12B1	5	3	15	6	0	29	0	29	15
IT-B	ML	18H61A12B2	5	5	10	4	10	34	4	30	15
IT-B	ML	18H61A12B3	5	3	16	0	13	37	0	37	19
IT-B	ML	18H61A12B4	5	5	14	4	12	40	4	36	18
IT-B	ML	18H61A12B5	5	5	14	0	5	29	0	29	15

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	ML	18H61A12B7	5	4	14	5	13	41	5	36	18
IT-B	ML	18H61A12B8	5	3	15	0	8	31	0	31	16
IT-B	ML	18H61A12B9	5	5	0	7	8	25	0	25	13
IT-B	ML	18H61A12C0	5	4	13	17	0	39	0	39	20
IT_A	ML	19H65A1201	5	5	11	12	9	42	9	33	17
IT_A	ML	19H65A1202	5	5	12	5	11	38	5	33	17
IT_A	ML	19H65A1203	5	5	12	16	13	51	12	39	20
IT_A	ML	19H65A1206	5	5	10	10	11	41	10	31	16
IT-B	ML	19H65A1207	5	1	11	3	9	29	3	26	13
IT-B	ML	19H65A1208	5	5	10	4	9	33	4	29	15
IT-B	ML	19H65A1209	0	4	13	2	11	30	2	28	14
IT-B	ML	19H65A1210	5	5	6	5	9	30	5	25	13
IT-B	ML	19H65A1211	4	1	13	0	5	23	0	23	12
IT-B	ML	19H65A1212	4	5	10	8	4	31	4	27	14
IT_A	OOAD	18H61A1201	5	5	20	19	0	49	0	49	25
IT_A	OOAD	18H61A1202	5	4	18	17	0	44	0	44	22
IT_A	OOAD	18H61A1203	1	5	20	17	0	43	0	43	22
IT_A	OOAD	18H61A1204	5	5	20	19	0	49	0	49	25
IT_A	OOAD	18H61A1205	5	4	10	20	20	59	10	49	25
IT_A	OOAD	18H61A1206	0	4	18	18	0	40	0	40	20
IT_A	OOAD	18H61A1207	5	2	18	18	18	61	18	43	22
IT_A	OOAD	18H61A1208	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1209	5	5	20	16	0	46	0	46	23
IT_A	OOAD	18H61A1210	5	4	20	15	15	59	15	44	22
IT_A	OOAD	18H61A1211	0	5	20	19	18	62	18	44	22
IT_A	OOAD	18H61A1212	5	5	20	19	0	49	0	49	25
IT_A	OOAD	18H61A1213	5	5	18	20	0	48	0	48	24
IT_A	OOAD	18H61A1214	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1215	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1216	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1217	5	5	18	15	20	63	15	48	24
IT_A	OOAD	18H61A1218	5	3	18	17	0	43	0	43	22
IT_A	OOAD	18H61A1219	5	5	19	19	20	68	19	49	25

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	OOAD	18H61A1220	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1222	4	5	20	10	0	39	0	39	20
IT_A	OOAD	18H61A1224	5	4	20	20	20	69	20	49	25
IT_A	OOAD	18H61A1225	0	4	12	0	17	33	0	33	17
IT_A	OOAD	18H61A1226	5	5	20	18	0	48	0	48	24
IT_A	OOAD	18H61A1227	0	4	19	16	0	39	0	39	20
IT_A	OOAD	18H61A1228	5	5	20	18	15	63	15	48	24
IT_A	OOAD	18H61A1229	4	5	20	19	0	48	0	48	24
IT_A	OOAD	18H61A1230	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1231	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1232	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1233	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1235	5	4	20	20	0	49	0	49	25
IT_A	OOAD	18H61A1236	3	5	20	19	0	47	0	47	24
IT_A	OOAD	18H61A1237	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1238	5	4	20	20	0	49	0	49	25
IT_A	OOAD	18H61A1239	5	4	20	20	0	49	0	49	25
IT_A	OOAD	18H61A1240	5	5	20	10	0	40	0	40	20
IT_A	OOAD	18H61A1241	5	4	20	18	0	47	0	47	24
IT_A	OOAD	18H61A1242	5	5	20	17	0	47	0	47	24
IT_A	OOAD	18H61A1243	5	4	20	20	0	49	0	49	25
IT_A	OOAD	18H61A1244	5	5	19	13	0	42	0	42	21
IT_A	OOAD	18H61A1245	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1246	5	4	20	20	0	49	0	49	25
IT_A	OOAD	18H61A1247	3	4	18	16	0	41	0	41	21
IT_A	OOAD	18H61A1249	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1250	0	4	20	0	14	38	0	38	19
IT_A	OOAD	18H61A1251	4	5	20	20	0	49	0	49	25
IT_A	OOAD	18H61A1252	5	4	20	10	11	50	10	40	20
IT_A	OOAD	18H61A1253	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1254	5	4	20	20	0	49	0	49	25
IT_A	OOAD	18H61A1255	5	5	20	19	20	69	19	50	25
IT_A	OOAD	18H61A1256	5	5	20	20	0	50	0	50	25

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	OOAD	18H61A1257	5	5	20	16	0	46	0	46	23
IT_A	OOAD	18H61A1258	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1259	5	5	20	20	0	50	0	50	25
IT_A	OOAD	18H61A1260	5	4	20	12	0	41	0	41	21
IT_B	OOAD	18H61A1261	5	5	18	0	6	34	0	34	17
IT_B	OOAD	18H61A1262	5	5	17	13	0	40	0	40	20
IT_B	OOAD	18H61A1263	5	5	20	17	0	47	0	47	24
IT_B	OOAD	18H61A1264	5	5	20	20	0	50	0	50	25
IT_B	OOAD	18H61A1265	5	5	20	20	0	50	0	50	25
IT_B	OOAD	18H61A1266	4	5	17	20	0	46	0	46	23
IT_B	OOAD	18H61A1267	5	5	20	20	0	50	0	50	25
IT_B	OOAD	18H61A1268	5	4	17	0	14	40	0	40	20
IT-B	OOAD	18H61A1269	5	5	17	0	16	43	0	43	22
IT-B	OOAD	18H61A1270	5	4	17	16	0	42	0	42	21
IT-B	OOAD	18H61A1271	5	5	20	20	0	50	0	50	25
IT-B	OOAD	18H61A1272	5	5	17	18	0	45	0	45	23
IT-B	OOAD	18H61A1273	5	5	17	17	0	44	0	44	22
IT-B	OOAD	18H61A1274	5	5	17	19	0	46	0	46	23
IT-B	OOAD	18H61A1275	5	5	15	15	0	40	0	40	20
IT-B	OOAD	18H61A1276	5	4	19	15	11	54	11	43	22
IT-B	OOAD	18H61A1277	4	4	20	20	0	48	0	48	24
IT-B	OOAD	18H61A1278	5	4	17	15	0	41	0	41	21
IT-B	OOAD	18H61A1279	5	5	17	20	0	47	0	47	24
IT-B	OOAD	18H61A1280	5	5	19	12	0	41	0	41	21
IT-B	OOAD	18H61A1281	5	5	20	19	0	49	0	49	25
IT-B	OOAD	18H61A1282	5	5	19	20	0	49	0	49	25
IT-B	OOAD	18H61A1283	5	5	19	16	0	45	0	45	23
IT-B	OOAD	18H61A1284	5	5	19	7	20	56	7	49	25
IT-B	OOAD	18H61A1285	5	5	16	15	11	52	11	41	21
IT-B	OOAD	18H61A1286	5	4	12	15	0	36	0	36	18
IT-B	OOAD	18H61A1287	4	4	18	11	19	56	11	45	23
IT-B	OOAD	18H61A1288	5	4	17	19	0	45	0	45	23
IT-B	OOAD	18H61A1289	5	5	20	20	0	50	0	50	25

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	OOAD	18H61A1290	5	5	16	7	10	43	7	36	18
IT-B	OOAD	18H61A1291	5	5	19	19	0	48	0	48	24
IT-B	OOAD	18H61A1292	5	5	19	14	0	43	0	43	22
IT-B	OOAD	18H61A1293	5	5	15	9	0	34	0	34	17
IT-B	OOAD	18H61A1294	5	5	20	20	0	50	0	50	25
IT-B	OOAD	18H61A1295	5	5	18	7	0	35	0	35	18
IT-B	OOAD	18H61A1296	5	5	20	18	0	48	0	48	24
IT-B	OOAD	18H61A1297	5	5	19	0	17	46	0	46	23
IT-B	OOAD	18H61A1298	4	4	18	16	0	42	0	42	21
IT-B	OOAD	18H61A1299	5	5	20	20	0	50	0	50	25
IT-B	OOAD	18H61A12A0	5	5	16	17	13	56	13	43	22
IT-B	OOAD	18H61A12A1	5	5	18	18	17	63	17	46	23
IT-B	OOAD	18H61A12A2	5	4	18	8	14	49	8	41	21
IT-B	OOAD	18H61A12A3	5	5	18	11	0	39	0	39	20
IT-B	OOAD	18H61A12A4	4	5	20	13	0	42	0	42	21
IT-B	OOAD	18H61A12A5	0	5	16	18	19	58	16	42	21
IT-B	OOAD	18H61A12A6	5	5	17	0	14	41	0	41	21
IT-B	OOAD	18H61A12A7	5	4	16	0	13	38	0	38	19
IT-B	OOAD	18H61A12A8	5	4	18	15	0	42	0	42	21
IT-B	OOAD	18H61A12A9	5	5	20	0	20	50	0	50	25
IT-B	OOAD	18H61A12B0	5	4	19	20	0	48	0	48	24
IT-B	OOAD	18H61A12B1	4	5	19	12	0	40	0	40	20
IT-B	OOAD	18H61A12B2	4	5	17	14	0	40	0	40	20
IT-B	OOAD	18H61A12B3	5	5	17	17	20	64	17	47	24
IT-B	OOAD	18H61A12B4	4	5	17	18	0	44	0	44	22
IT-B	OOAD	18H61A12B5	5	5	20	0	12	42	0	42	21
IT-B	OOAD	18H61A12B7	5	5	20	19	0	49	0	49	25
IT-B	OOAD	18H61A12B8	5	5	19	0	17	46	0	46	23
IT-B	OOAD	18H61A12B9	5	5	19	0	12	41	0	41	21
IT-B	OOAD	18H61A12C0	4	5	19	0	20	48	0	48	24
IT_A	OOAD	19H65A1201	5	3	20	18	0	46	0	46	23
IT_A	OOAD	19H65A1202	5	5	20	18	0	48	0	48	24
IT_A	OOAD	19H65A1203	5	5	20	19	0	49	0	49	25

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT_A	OOAD	19H65A1206	4	4	20	17	0	45	0	45	23
IT-B	OOAD	19H65A1207	4	5	11	11	0	31	0	31	16
IT-B	OOAD	19H65A1208	5	4	18	12	0	39	0	39	20
IT-B	OOAD	19H65A1209	0	5	18	5	18	46	5	41	21
IT-B	OOAD	19H65A1210	4	5	15	13	8	45	8	37	19
IT-B	OOAD	19H65A1211	4	0	14	4	14	36	4	32	16
IT-B	OOAD	19H65A1212	4	3	14	13	0	34	0	34	17
IT-A	OOAD Lab	18H61A1201	0	0	0	0	0	22	0	0	22
IT-A	OOAD Lab	18H61A1202	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	18H61A1203	0	0	0	0	0	18	0	0	18
IT-A	OOAD Lab	18H61A1204	0	0	0	0	0	18	0	0	18
IT-A	OOAD Lab	18H61A1205	0	0	0	0	0	19	0	0	19
IT-A	OOAD Lab	18H61A1206	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1207	0	0	0	0	0	19	0	0	19
IT-A	OOAD Lab	18H61A1208	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	18H61A1209	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	18H61A1210	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1211	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1212	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1213	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1214	0	0	0	0	0	24	0	0	24
IT-A	OOAD Lab	18H61A1215	0	0	0	0	0	21	0	0	21
IT-A	OOAD Lab	18H61A1216	0	0	0	0	0	24	0	0	24
IT-A	OOAD Lab	18H61A1217	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	18H61A1218	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1219	0	0	0	0	0	25	0	0	25
IT-A	OOAD Lab	18H61A1220	0	0	0	0	0	20	0	0	20
IT-A	OOAD Lab	18H61A1222	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1224	0	0	0	0	0	18	0	0	18
IT-A	OOAD Lab	18H61A1225	0	0	0	0	0	16	0	0	16
IT-A	OOAD Lab	18H61A1226	0	0	0	0	0	16	0	0	16
IT-A	OOAD Lab	18H61A1227	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1228	0	0	0	0	0	19	0	0	19

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-A	OOAD Lab	18H61A1229	0	0	0	0	0	24	0	0	24
IT-A	OOAD Lab	18H61A1230	0	0	0	0	0	25	0	0	25
IT-A	OOAD Lab	18H61A1231	0	0	0	0	0	24	0	0	24
IT-A	OOAD Lab	18H61A1232	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	18H61A1233	0	0	0	0	0	19	0	0	19
IT-A	OOAD Lab	18H61A1235	0	0	0	0	0	22	0	0	22
IT-A	OOAD Lab	18H61A1236	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1237	0	0	0	0	0	25	0	0	25
IT-A	OOAD Lab	18H61A1238	0	0	0	0	0	25	0	0	25
IT-A	OOAD Lab	18H61A1239	0	0	0	0	0	25	0	0	25
IT-A	OOAD Lab	18H61A1240	0	0	0	0	0	18	0	0	18
IT-A	OOAD Lab	18H61A1241	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	18H61A1242	0	0	0	0	0	18	0	0	18
IT-A	OOAD Lab	18H61A1243	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	18H61A1244	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1245	0	0	0	0	0	21	0	0	21
IT-A	OOAD Lab	18H61A1246	0	0	0	0	0	20	0	0	20
IT-A	OOAD Lab	18H61A1247	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	18H61A1249	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	18H61A1250	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	18H61A1251	0	0	0	0	0	24	0	0	24
IT-A	OOAD Lab	18H61A1252	0	0	0	0	0	19	0	0	19
IT-A	OOAD Lab	18H61A1253	0	0	0	0	0	19	0	0	19
IT-A	OOAD Lab	18H61A1254	0	0	0	0	0	20	0	0	20
IT-A	OOAD Lab	18H61A1255	0	0	0	0	0	25	0	0	25
IT-A	OOAD Lab	18H61A1256	0	0	0	0	0	24	0	0	24
IT-A	OOAD Lab	18H61A1257	0	0	0	0	0	19	0	0	19
IT-A	OOAD Lab	18H61A1258	0	0	0	0	0	18	0	0	18
IT-A	OOAD Lab	18H61A1259	0	0	0	0	0	19	0	0	19
IT-A	OOAD Lab	18H61A1260	0	0	0	0	0	17	0	0	17
IT-B	OOAD Lab	18H61A1261	0	0	0	0	0	19	0	0	19
IT-B	OOAD Lab	18H61A1262	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1263	0	0	0	0	0	23	0	0	23

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	OOAD Lab	18H61A1264	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	18H61A1265	0	0	0	0	0	25	0	0	25
IT-B	OOAD Lab	18H61A1266	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	18H61A1267	0	0	0	0	0	25	0	0	25
IT-B	OOAD Lab	18H61A1268	0	0	0	0	0	19	0	0	19
IT-B	OOAD Lab	18H61A1269	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1270	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1271	0	0	0	0	0	24	0	0	24
IT-B	OOAD Lab	18H61A1272	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1273	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1274	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	18H61A1275	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1276	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1277	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	18H61A1278	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1279	0	0	0	0	0	25	0	0	25
IT-B	OOAD Lab	18H61A1280	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1281	0	0	0	0	0	25	0	0	25
IT-B	OOAD Lab	18H61A1282	0	0	0	0	0	25	0	0	25
IT-B	OOAD Lab	18H61A1283	0	0	0	0	0	22	0	0	22
IT-B	OOAD Lab	18H61A1284	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1285	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1286	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1287	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1288	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1289	0	0	0	0	0	25	0	0	25
IT-B	OOAD Lab	18H61A1290	0	0	0	0	0	19	0	0	19
IT-B	OOAD Lab	18H61A1291	0	0	0	0	0	25	0	0	25
IT-B	OOAD Lab	18H61A1292	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1293	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1294	0	0	0	0	0	25	0	0	25
IT-B	OOAD Lab	18H61A1295	0	0	0	0	0	22	0	0	22
IT-B	OOAD Lab	18H61A1296	0	0	0	0	0	23	0	0	23

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	OOAD Lab	18H61A1297	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A1298	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	18H61A1299	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	18H61A12A0	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A12A1	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A12A2	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A12A3	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A12A4	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	18H61A12A5	0	0	0	0	0	20	0	0	20
IT-B	OOAD Lab	18H61A12A6	0	0	0	0	0	20	0	0	20
IT-B	OOAD Lab	18H61A12A7	0	0	0	0	0	19	0	0	19
IT-B	OOAD Lab	18H61A12A8	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A12A9	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A12B0	0	0	0	0	0	24	0	0	24
IT-B	OOAD Lab	18H61A12B1	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A12B2	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	18H61A12B3	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	18H61A12B4	0	0	0	0	0	20	0	0	20
IT-B	OOAD Lab	18H61A12B5	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	18H61A12B7	0	0	0	0	0	25	0	0	25
IT-B	OOAD Lab	18H61A12B8	0	0	0	0	0	20	0	0	20
IT-B	OOAD Lab	18H61A12B9	0	0	0	0	0	20	0	0	20
IT-B	OOAD Lab	18H61A12C0	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	19H65A1201	0	0	0	0	0	17	0	0	17
IT-A	OOAD Lab	19H65A1202	0	0	0	0	0	19	0	0	19
IT-A	OOAD Lab	19H65A1203	0	0	0	0	0	23	0	0	23
IT-A	OOAD Lab	19H65A1206	0	0	0	0	0	23	0	0	23
IT-B	OOAD Lab	19H65A1207	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	19H65A1208	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	19H65A1209	0	0	0	0	0	19	0	0	19
IT-B	OOAD Lab	19H65A1210	0	0	0	0	0	21	0	0	21
IT-B	OOAD Lab	19H65A1211	0	0	0	0	0	19	0	0	19
IT-B	OOAD Lab	19H65A1212	0	0	0	0	0	21	0	0	21

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-A	AECS Lab	18H61A1201	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1202	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1203	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1204	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1205	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1206	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1207	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1208	0	0	0	0	0	23	0	0	23
IT-A	AECS Lab	18H61A1209	0	0	0	0	0	23	0	0	23
IT-A	AECS Lab	18H61A1210	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1211	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1212	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1213	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1214	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1215	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1216	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1217	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1218	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1219	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1220	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1222	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1224	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1225	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1226	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1227	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1228	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1229	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1230	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1231	0	0	0	0	0	23	0	0	23
IT-A	AECS Lab	18H61A1232	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1233	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1235	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1236	0	0	0	0	0	20	0	0	20

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-A	AECS Lab	18H61A1237	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1238	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1239	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1240	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1241	0	0	0	0	0	23	0	0	23
IT-A	AECS Lab	18H61A1242	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1243	0	0	0	0	0	23	0	0	23
IT-A	AECS Lab	18H61A1244	0	0	0	0	0	23	0	0	23
IT-A	AECS Lab	18H61A1245	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1246	0	0	0	0	0	23	0	0	23
IT-A	AECS Lab	18H61A1247	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1249	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1250	0	0	0	0	0	19	0	0	19
IT-A	AECS Lab	18H61A1251	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1252	0	0	0	0	0	18	0	0	18
IT-A	AECS Lab	18H61A1253	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1254	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1255	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	18H61A1256	0	0	0	0	0	23	0	0	23
IT-A	AECS Lab	18H61A1257	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	18H61A1258	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1259	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	18H61A1260	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1261	0	0	0	0	0	17	0	0	17
IT-B	AECS Lab	18H61A1262	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1263	0	0	0	0	0	23	0	0	23
IT-B	AECS Lab	18H61A1264	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1265	0	0	0	0	0	23	0	0	23
IT-B	AECS Lab	18H61A1266	0	0	0	0	0	20	0	0	20
IT-B	AECS Lab	18H61A1267	0	0	0	0	0	22	0	0	22
IT-B	AECS Lab	18H61A1268	0	0	0	0	0	17	0	0	17
IT-B	AECS Lab	18H61A1269	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1270	0	0	0	0	0	22	0	0	22

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	AECS Lab	18H61A1271	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1272	0	0	0	0	0	23	0	0	23
IT-B	AECS Lab	18H61A1273	0	0	0	0	0	18	0	0	18
IT-B	AECS Lab	18H61A1274	0	0	0	0	0	22	0	0	22
IT-B	AECS Lab	18H61A1275	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A1276	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A1277	0	0	0	0	0	20	0	0	20
IT-B	AECS Lab	18H61A1278	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1279	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A1280	0	0	0	0	0	20	0	0	20
IT-B	AECS Lab	18H61A1281	0	0	0	0	0	20	0	0	20
IT-B	AECS Lab	18H61A1282	0	0	0	0	0	22	0	0	22
IT-B	AECS Lab	18H61A1283	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1284	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A1285	0	0	0	0	0	22	0	0	22
IT-B	AECS Lab	18H61A1286	0	0	0	0	0	20	0	0	20
IT-B	AECS Lab	18H61A1287	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1288	0	0	0	0	0	17	0	0	17
IT-B	AECS Lab	18H61A1289	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1290	0	0	0	0	0	18	0	0	18
IT-B	AECS Lab	18H61A1291	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1292	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A1293	0	0	0	0	0	20	0	0	20
IT-B	AECS Lab	18H61A1294	0	0	0	0	0	22	0	0	22
IT-B	AECS Lab	18H61A1295	0	0	0	0	0	20	0	0	20
IT-B	AECS Lab	18H61A1296	0	0	0	0	0	20	0	0	20
IT-B	AECS Lab	18H61A1297	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A1298	0	0	0	0	0	17	0	0	17
IT-B	AECS Lab	18H61A1299	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	18H61A12A0	0	0	0	0	0	17	0	0	17
IT-B	AECS Lab	18H61A12A1	0	0	0	0	0	18	0	0	18
IT-B	AECS Lab	18H61A12A2	0	0	0	0	0	16	0	0	16
IT-B	AECS Lab	18H61A12A3	0	0	0	0	0	16	0	0	16

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	AECS Lab	18H61A12A4	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A12A5	0	0	0	0	0	18	0	0	18
IT-B	AECS Lab	18H61A12A6	0	0	0	0	0	17	0	0	17
IT-B	AECS Lab	18H61A12A7	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A12A8	0	0	0	0	0	18	0	0	18
IT-B	AECS Lab	18H61A12A9	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A12B0	0	0	0	0	0	23	0	0	23
IT-B	AECS Lab	18H61A12B1	0	0	0	0	0	18	0	0	18
IT-B	AECS Lab	18H61A12B2	0	0	0	0	0	16	0	0	16
IT-B	AECS Lab	18H61A12B3	0	0	0	0	0	17	0	0	17
IT-B	AECS Lab	18H61A12B4	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A12B5	0	0	0	0	0	18	0	0	18
IT-B	AECS Lab	18H61A12B7	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A12B8	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A12B9	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	18H61A12C0	0	0	0	0	0	17	0	0	17
IT-A	AECS Lab	19H65A1201	0	0	0	0	0	22	0	0	22
IT-A	AECS Lab	19H65A1202	0	0	0	0	0	20	0	0	20
IT-A	AECS Lab	19H65A1203	0	0	0	0	0	21	0	0	21
IT-A	AECS Lab	19H65A1206	0	0	0	0	0	21	0	0	21
IT-B	AECS Lab	19H65A1207	0	0	0	0	0	18	0	0	18
IT-B	AECS Lab	19H65A1208	0	0	0	0	0	16	0	0	16
IT-B	AECS Lab	19H65A1209	0	0	0	0	0	18	0	0	18
IT-B	AECS Lab	19H65A1210	0	0	0	0	0	16	0	0	16
IT-B	AECS Lab	19H65A1211	0	0	0	0	0	19	0	0	19
IT-B	AECS Lab	19H65A1212	0	0	0	0	0	18	0	0	18
IT-A	DWDM Lab	18H61A1201	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1202	0	0	0	0	0	19	0	0	19
IT-A	DWDM Lab	18H61A1203	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1204	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1205	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1206	0	0	0	0	0	23	0	0	23
IT-A	DWDM Lab	18H61A1207	0	0	0	0	0	22	0	0	22

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-A	DWDM Lab	18H61A1208	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1209	0	0	0	0	0	24	0	0	24
IT-A	DWDM Lab	18H61A1210	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1211	0	0	0	0	0	23	0	0	23
IT-A	DWDM Lab	18H61A1212	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1213	0	0	0	0	0	23	0	0	23
IT-A	DWDM Lab	18H61A1214	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1215	0	0	0	0	0	19	0	0	19
IT-A	DWDM Lab	18H61A1216	0	0	0	0	0	24	0	0	24
IT-A	DWDM Lab	18H61A1217	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1218	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1219	0	0	0	0	0	25	0	0	25
IT-A	DWDM Lab	18H61A1220	0	0	0	0	0	23	0	0	23
IT-A	DWDM Lab	18H61A1222	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1224	0	0	0	0	0	23	0	0	23
IT-A	DWDM Lab	18H61A1225	0	0	0	0	0	20	0	0	20
IT-A	DWDM Lab	18H61A1226	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1227	0	0	0	0	0	20	0	0	20
IT-A	DWDM Lab	18H61A1228	0	0	0	0	0	23	0	0	23
IT-A	DWDM Lab	18H61A1229	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1230	0	0	0	0	0	25	0	0	25
IT-A	DWDM Lab	18H61A1231	0	0	0	0	0	24	0	0	24
IT-A	DWDM Lab	18H61A1232	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1233	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1235	0	0	0	0	0	20	0	0	20
IT-A	DWDM Lab	18H61A1236	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1237	0	0	0	0	0	23	0	0	23
IT-A	DWDM Lab	18H61A1238	0	0	0	0	0	24	0	0	24
IT-A	DWDM Lab	18H61A1239	0	0	0	0	0	24	0	0	24
IT-A	DWDM Lab	18H61A1240	0	0	0	0	0	19	0	0	19
IT-A	DWDM Lab	18H61A1241	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1242	0	0	0	0	0	20	0	0	20
IT-A	DWDM Lab	18H61A1243	0	0	0	0	0	24	0	0	24

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-A	DWDM Lab	18H61A1244	0	0	0	0	0	19	0	0	19
IT-A	DWDM Lab	18H61A1245	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1246	0	0	0	0	0	19	0	0	19
IT-A	DWDM Lab	18H61A1247	0	0	0	0	0	20	0	0	20
IT-A	DWDM Lab	18H61A1249	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1250	0	0	0	0	0	20	0	0	20
IT-A	DWDM Lab	18H61A1251	0	0	0	0	0	23	0	0	23
IT-A	DWDM Lab	18H61A1252	0	0	0	0	0	19	0	0	19
IT-A	DWDM Lab	18H61A1253	0	0	0	0	0	20	0	0	20
IT-A	DWDM Lab	18H61A1254	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	18H61A1255	0	0	0	0	0	24	0	0	24
IT-A	DWDM Lab	18H61A1256	0	0	0	0	0	24	0	0	24
IT-A	DWDM Lab	18H61A1257	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1258	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	18H61A1259	0	0	0	0	0	20	0	0	20
IT-A	DWDM Lab	18H61A1260	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A1261	0	0	0	0	0	18	0	0	18
IT-B	DWDM Lab	18H61A1262	0	0	0	0	0	22	0	0	22
IT-B	DWDM Lab	18H61A1263	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A1264	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A1265	0	0	0	0	0	22	0	0	22
IT-B	DWDM Lab	18H61A1266	0	0	0	0	0	23	0	0	23
IT-B	DWDM Lab	18H61A1267	0	0	0	0	0	24	0	0	24
IT-B	DWDM Lab	18H61A1268	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A1269	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A1270	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A1271	0	0	0	0	0	24	0	0	24
IT-B	DWDM Lab	18H61A1272	0	0	0	0	0	25	0	0	25
IT-B	DWDM Lab	18H61A1273	0	0	0	0	0	22	0	0	22
IT-B	DWDM Lab	18H61A1274	0	0	0	0	0	19	0	0	19
IT-B	DWDM Lab	18H61A1275	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A1276	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A1277	0	0	0	0	0	22	0	0	22

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	DWDM Lab	18H61A1278	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A1279	0	0	0	0	0	24	0	0	24
IT-B	DWDM Lab	18H61A1280	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A1281	0	0	0	0	0	24	0	0	24
IT-B	DWDM Lab	18H61A1282	0	0	0	0	0	25	0	0	25
IT-B	DWDM Lab	18H61A1283	0	0	0	0	0	24	0	0	24
IT-B	DWDM Lab	18H61A1284	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A1285	0	0	0	0	0	24	0	0	24
IT-B	DWDM Lab	18H61A1286	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A1287	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A1288	0	0	0	0	0	23	0	0	23
IT-B	DWDM Lab	18H61A1289	0	0	0	0	0	25	0	0	25
IT-B	DWDM Lab	18H61A1290	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A1291	0	0	0	0	0	22	0	0	22
IT-B	DWDM Lab	18H61A1292	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A1293	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A1294	0	0	0	0	0	25	0	0	25
IT-B	DWDM Lab	18H61A1295	0	0	0	0	0	22	0	0	22
IT-B	DWDM Lab	18H61A1296	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A1297	0	0	0	0	0	23	0	0	23
IT-B	DWDM Lab	18H61A1298	0	0	0	0	0	22	0	0	22
IT-B	DWDM Lab	18H61A1299	0	0	0	0	0	23	0	0	23
IT-B	DWDM Lab	18H61A12A0	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A12A1	0	0	0	0	0	18	0	0	18
IT-B	DWDM Lab	18H61A12A2	0	0	0	0	0	19	0	0	19
IT-B	DWDM Lab	18H61A12A3	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A12A4	0	0	0	0	0	24	0	0	24
IT-B	DWDM Lab	18H61A12A5	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A12A6	0	0	0	0	0	19	0	0	19
IT-B	DWDM Lab	18H61A12A7	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A12A8	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A12A9	0	0	0	0	0	24	0	0	24
IT-B	DWDM Lab	18H61A12B0	0	0	0	0	0	19	0	0	19

Section	Subject	HTNO	AS-I	AS-II	MID1	MID2	MID3	Total	min	tot-min	AVG
IT-B	DWDM Lab	18H61A12B1	0	0	0	0	0	22	0	0	22
IT-B	DWDM Lab	18H61A12B2	0	0	0	0	0	23	0	0	23
IT-B	DWDM Lab	18H61A12B3	0	0	0	0	0	23	0	0	23
IT-B	DWDM Lab	18H61A12B4	0	0	0	0	0	18	0	0	18
IT-B	DWDM Lab	18H61A12B5	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	18H61A12B7	0	0	0	0	0	24	0	0	24
IT-B	DWDM Lab	18H61A12B8	0	0	0	0	0	19	0	0	19
IT-B	DWDM Lab	18H61A12B9	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	18H61A12C0	0	0	0	0	0	24	0	0	24
IT-A	DWDM Lab	19H65A1201	0	0	0	0	0	19	0	0	19
IT-A	DWDM Lab	19H65A1202	0	0	0	0	0	21	0	0	21
IT-A	DWDM Lab	19H65A1203	0	0	0	0	0	22	0	0	22
IT-A	DWDM Lab	19H65A1206	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	19H65A1207	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	19H65A1208	0	0	0	0	0	21	0	0	21
IT-B	DWDM Lab	19H65A1209	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	19H65A1210	0	0	0	0	0	20	0	0	20
IT-B	DWDM Lab	19H65A1211	0	0	0	0	0	18	0	0	18
IT-B	DWDM Lab	19H65A1212	0	0	0	0	0	19	0	0	19